


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CE	16	A1	ADDED -4, -5 & NOTE 4	13AUG08	JWD JD

- 1 SEE TABLE FOR MAXIMUM INSERTION LOSS AT 1310nm.
- 2. MINIMUM RETURN LOSS: 55dB AT 1310nm.
- 3. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TYCO ELECTRONICS STANDARD 230-702
- 4 ONE (1) TRACE LABEL IS CENTERED ON THE ASSEMBLY FOR -4 AND -5,



MAX IL (dB)	L METERS [INCHES]	PART NUMBER
0.50	0.609±0.025 [24.0±1.0]	6828887-5
0.50	0.304±0.025 [12.0±1.0]	6828887-4
0.50	3.00±0.05 [118.1±2.0]	6828887-3
0.50	1.00±0.05 [39.4±2.0]	6828887-2
0.50	6.70±0.08 [264.0±3.0]	6828887-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.S. VASU 27 JAN 06	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: METERS [INCHES]		CHK J.DUNCAN 27 JAN 06	NAME CABLE ASSY, FIBER OPTIC, 2.0mm SINGLEMODE LDS, AMP SC TO SC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.DUNCAN 27 JAN 06	PRODUCT SPEC -	
0 PLC ± -		APPLICATION SPEC -		
1 PLC ± -		WEIGHT -		
2 PLC ± -		SIZE A2 CAGE CODE 00779 C=6828887		
3 PLC ± -		DRAWING NO 6828887		
4 PLC ± -		RESTRICTED TO -		
ANGLES ± -		SCALE 1:1 SHEET 1 OF 1 REV A1		
FINISH -		CUSTOMER DRAWING		

6828887