





VIP Microscopes *Vip*

Ergonomically designed microscope with individual eyepiece adjustment

No neck or muscle fatigue. VIP (Variable Inclination Position) Microscopes feature a 23mm field of view, a 4X – 25X magnification range and 186mm working distance when used with the included 0.5X reducing lens (8X – 50X magnification range and 91mm working distance with optional 1.0X lens). Ergonomically designed interpupillary adjustment with a 0°-30° angle of inclination allows for individualized adjustment so each technician can maintain correct posture during use – neck straight, eyes forward. The body and stand are treated with a metal-laced powder coat that measures $10^5\Omega/\text{sq.}$ (static dissipative)."



VIP OPTICAL DATA

Eyepieces		Objective	
		1.0X (optional)	0.5X (included)
10X	Total Magnification (Range)	8X - 50X	4X - 25X
	Field of View Diameter (mm)	28.8 - 4.6	57.5 - 5.8
15X	Total Magnification (Range)	12X - 75X	6X - 37.5X
	Field of View Diameter (mm)	21.3 - 3.4	42.5 - 6.8
	Working Distance (mm)	91	186

PRODUCT TABLE

Part number	Microscope	Description
23814RB-ESD*	System 273RB W/0.5X Lens VIP-ESD	ESD-Safe, VIP Microscope, RB Stand, (0.5X lens included)
23880RB-ESD*	System 273RB-LEDVIP-ESD	ESD-Safe, VIP Microscope, RB Stand, (0.5X lens included), LED-3000 Ring Light
23760	–	Eyepieces/15X Pair, 23mm, 273/373/VIP
23793-ESD	–	Articulating Arm with Vertical Extension, ESD-Safe

*Available as **72 Hour QUICK SHIP**

