

Specification Sheet

Part Number: 596-00793



Made with UV stable inks and materials for durability and weather resistance. Supplied with aggressive adhesive to ensure long life. Meets NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections. Pre-printed labels offer significant time and cost savings over high priced engraved and lead time purchased markers.

Peel-Off Paint Shield, UV Stable, 3.5" x 1.75", PET, Clear, 10/pkg

Article Number 596-00793

Type PAINTSHIELD2

Color Clear (CL)

Quantity Per pack

Product Description HellermannTyton offers Paint Shield laminates that can be applied over Metal Solar Placards as a barrier against unintentional painting or graffiti. Paint Shields can also be used to provide additional protection for hand-written markings using a paint pen. HellermannTyton offers several sizes of Paint Shields designed to match all sizes of Metal Solar Placards. If a Paint Shield (covering placard) has been painted over, simply remove the shield to reveal original marking. Replace shield as needed.

Short Description Peel-Off Paint Shield, UV Stable, 3.5" x 1.75", PET, Clear, 10/pkg

Global Part Name	PAINTSHIELD2-240-CL
Technical Description	3.5" X 1.75" Peel-off paint shield, UV Stable Clear Polyester, for use with 596-00828, 596-00830, 596-00831, 596-00832, 596-00837, 596-00835, 596-00497, 596-00590, 596-00591
Width W (Imperial)	3.5
Width W (Metric)	88.9
Thickness T (Metric)	64.0
Height H (Imperial)	1.75
Height H (Metric)	44.45
Material	Type 240, 2.0 Mil Polyester, Clear (240)
Material Shortcut	240
Adhesive	1.0 Mil Aggressive Removable
Halogen Free	No
Adhesive Operating Temperature	from +50°F (from +10°C)
Operating Temperature	-20°F to +302°F (-29°C to +150°C)
Reach Compliant (Article 33)	Yes

ROHS Compliant Yes

Warranty (US) Yes

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number 3919905060

Labels per Column 1

Labels per Row 1