

## 16173.2 GSM-ANTENNA-EXTERNAL-SMA-10M

---



GSM UMTS antenna with omni-directional characteristic, SMA round plug, Connecting cable length: 10 m

### Business data

---

Article number	16173.2
Article name	GSM-ANTENNA-EXTERNAL-SMA-10M
GTIN (EAN)	4044211187019
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	457 g
Weight per piece (including packaging)	480 g
Unit of weight	G
Customs number	85291069
Country of origin	NL
Product description	GSM antenna

## 16173.2 GSM-ANTENNA-EXTERNAL-SMA-10M

### Technical data

#### Dimensions

Length	80 mm
Width	80 mm
Height	45 mm
Installation height	23 mm
Drill hole diameter	17 mm

#### Connection data

Plug-in connector	SMA-Male
Antennengewinn max.	1 dBi
GSM frequency	800, 850, 900, 1900, 2100 MHz
Impedance	50 Ohm

#### Materials

Material	Nylon 6
Working temperature, min.	-40 °C
Working temperature, max.	85 °C

#### Further technical data

Mounting type	External, screw
Cable length	10 m
Antenna shape	Puck

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-01-07
REACH Candidate Substance Note	No
RoHS Conform	yes

### Media

---

## 16173.2 GSM-ANTENNA-EXTERNAL-SMA-10M

---

### Accessories

---

#### ##INVERSE##CONTA-ELECTRONICS

---



Compact reporting system for mobile networks, for monitoring analogue and digital values ??and remotely switching relay outputs. Mounting type: Mounting rail TS 35, Supply voltage range: 10 - 30 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16099.2</u>	GSM-PRO	4044211151560	1 ST

---