
T	D D	<u>п</u>		0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

-Salt Spray

BASIC SERIES:

SHELL SIZE : 21

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Aluminium : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories : -65°C to +200°C -Temperature Range

: 48 hours

8D 0

G

21

F

42

Ρ

F

D

Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	31.75
R2	29.36
S	39.7±0.3
V	20.07+0/-1.25
W	2.1/3.2
Z	31.5 Max
VV THREAD	M31x1-6g


ORIENTATION : D

CONTACT TYPE : PIN(500 Matings)

Е

CONTACT LAYOUT : 21-42

SOURIAU shall not be liable for a due to a use of the Products the Specifications issued by either (professional recommend



Φ		A			
				4	
AS EXAMPLE				3	
r any non-conformin s which does not co er of the Parties or I ndation, technical n untry Jurisc FR	mply with by a third part			2	
1F42PD					
			MOD N°		
um Receptac	Im Receptacle 8D series				
:		59		1	
J.COM	COM This document is the property of SOURIAU it must not be reproduced or communicated without permission				
U DRG N° F42PD-C			SHEET		
B		A		J	

	Ŧ	۵	г	m		0	
		Contact Layout					Panel Cutou
		42				SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
4		Ó,			2		2
		2#4 Power	1				
	Ctc A B	21-42 X Y 0 6.19 0 -6.19			ł		<u>. ØT _</u>
						Dim ØA	
ယ						ØAA R1	
						ØT	I
						SOURIAU shall not be l	iable for any
						due to a use of the F the Specifications issued (professional red	by either of
N							Country FR
						PN: 8	3D021F
					A 02-11-	2016 First Release	
					ISS DA Designed By:	TE Latest modification - by Date:	
					TITLE	Al	uminium
					SCALE		ieral linear lerances:
→					NA		±
					SOURI	AU WWW.SOU	IRIAU.C
					FORMAT		URIAU
		<u>^</u>	-	-	A3		D021F4
	Н	G	l F	E	D	C	I

