



NOTE
 1. MATERIAL
 TERMINAL : BRASS (CONTACT : GOLD UNDER NICKEL)
 (SOLDER TAIL : TIN UNDER NICKEL)
 WAFER : 46NYLON
 SHELL : PHOSPHOR BRONZE (TIN UNDER NICKEL)
 MOLD CASE : 46NYLON
 BRACKET : ZINC
 NUT : STEEL
 2. THIS PRODUCT IS LEAD FREE OF 55395-0611.

REVISED EC NO: J2006-0295 DRW: N. SUZUKI 2005/07/26 CHK: K. TOJO 2005/07/28 APPR: N. KITA 2005/08/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		MODEL NO. 55395-**19 MATERIAL NO. 55395-0619		
	10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3	10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3	DRAWN BY HKAWABATA DATE 04/05/24 CHECKED BY KTOJO DATE 04/05/24 APPROVED BY MSASAO DATE 04/05/24	TITLE IEEE 1394 SOCKET WITH LOCK SOCKET ASSEMBLY -LEAD FREE-	SCALE --- DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	MOLEX INCORPORATED
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART	DOCUMENT NO. SD-55395-004	SHEET NO. 1 OF 2		
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

