





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	A3	REVISED PER ECR-18-009392		01APR2019	BDA	SV	



- 1 SUPPLIED IN LOOSE PIECE
- 2 SLOTTED ACCEPTS 0.45-0.64mm [#25-#22] AWG COPPER MAGNET WIRE. 2 WIRES OF THE SAME SIZE PER SLOT EXCEPT 0.64mm [#22] AWG WHICH IS ONE WIRE ONLY. OR ALUMINIUM WIRE RANGE IS 0.72-0.91mm [#21-#19] AWG SINGLE WIRE ONLY. ALUMINIUM WIRE RANGE APPLIES FOR POST TIN PLATED PART NUMBERS ONLY
- 3 POKE-IN ACCEPTS A 0.5-0.8mm [#20-#18] AWG SOLID OR FUSED STRANDED LEAD WIRE.
- 4 0.002032 [.000080] MIN TIN
- 5 RED COLORING APPLIED TO THIS SURFACE DURING LOOSE PIECE OPERATION TO PROVIDE ORIENTATION FOR PNEUMATIC PRESS TERMINATION PROCESS.

IDENTIFICATION NUMBER 12 FOR MAGNET WIRE RANGE

1742136-1  
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN jr ruth 18MAY04	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK KURT A. RANDOLPH 18MAY04		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD KURT A. RANDOLPH 18MAY04	NAME	
0 PLC ± -		PRODUCT SPEC	108-2012	
1 PLC ± -		APPLICATION SPEC	114-2046	
2 PLC ± 0.25[.010]		WEIGHT	-	
3 PLC ± -		CUSTOMER DRAWING	SCALE 10:1 SHEET 1 OF 1 REV A3	
4 PLC ± -		FINISH	-	
ANGLES ± -				
MATERIAL 4M PRE-MILLED				
FINISH				