



## Item description

- Suitable for a sub-distribution board equipped with a residual current breaker (RCB); includes all required components for wiring supply terminal blocks, as well as connecting 9 AC circuits and 1 three-phase circuits.
- Distribution of ground fault potentials via one 10 x 3 mm N-busbar. Separation of N-potentials for insulation resistance measurement via N-disconnect slide links within the multilevel installation terminal block.

## Contains:

- 10 x multilevel installation terminal block; NT/L/PE; 4 mm<sup>2</sup> (2003-7641)
- 1 x multilevel installation terminal block; L/L; 4 mm<sup>2</sup> (2003-7642)
- 1 x end and intermediate plate (2003-7692)
- 3 x 2-conductor supply terminal block for distribution boxes; gray; 16 mm<sup>2</sup> (2016-7601)
- 1 x 2-conductor supply terminal block for distribution boxes; blue; 16 mm<sup>2</sup> (2016-7604)
- 1 x 2-conductor ground terminal block; green-yellow; 16 mm<sup>2</sup> (2016-7607)
- 1 x end and intermediate plate (2016-7692)
- 1 x 1-conductor N-disconnect terminal block; blue; 16 mm<sup>2</sup> (2016-7714)
- 1 x end and intermediate plate (2016-7792)
- 1 x screwless end stop; 10 mm wide (249-117)
- 1 x busbar carrier; with end stop function (2009-305)
- 1 x busbar; tin-plated; 0.2 m (210-133)
- 1 x cover for busbar; transparent; 0.2 m (777-303)
- 1 x marking strip; white; 0.5 m (2009-110)
- 1 x WMB marker card; 1 ... 50 (793-5566)

—  
Subject to changes. Please also observe the further product documentation!



- 1 x WMB marker card; L1, L2, L3, N, PE (793-5472)
- 1 x felt-tip pen (210-110)

Assembly width incl. end stop: 14.95 cm

## Data

### Material Data

Note (material data)

Information on material specifications can be found here

Fire load	5.726 MJ
Weight	471.6 g

### Commercial data

eCl@ss 10.0	27-14-11-25
eCl@ss 9.0	27-14-11-25
ETIM 8.0	EC001329
ETIM 7.0	EC001329
PU (SPU)	1 pcs
Packaging type	box
Country of origin	QU
GTIN	4045454229849
Customs tariff number	80808080888

### Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c) 7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	ac720ff6-16ba-4ca4-9df2-a9066da0f5c3
SCIP notification number (Belgium)	9e43d7de-5b2d-4435-96b1-e917e952d780
SCIP notification number (Bulgaria)	b2c9d0bd-e321-48ba-9c04-1ef64222f71f
SCIP notification number (Czech Republic)	97cacb91-37ff-4b0c-a91e-8de689bc474a
SCIP notification number (Denmark)	87669151-07de-425d-9e3e-7302cfc2a9a4
SCIP notification number (Finland)	26cee81e-9eaa-4d93-9c9d-b8e8f13fe32a

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



SCIP notification number (France)	b7eac470-0a7b-4038-b69c-7af0f4205e39
SCIP notification number (Germany)	22b43ade-bda8-4d29-a400-c6082db5eea8
SCIP notification number (Hungary)	6bfc4974-8d2b-42d9-970a-1f6f6ef2e6d9
SCIP notification number (Italy)	45bb8530-585c-4e23-9192-78998607b025
SCIP notification number (Netherlands)	58e49166-2851-48db-adf0-647ec610cc96
SCIP notification number (Poland)	f0bbbf27-f55f-4c32-aaa4-fd8c8c23f19d
SCIP notification number (Romania)	48f7a1e1-c8f7-4c40-9d18-55498464f7bf
SCIP notification number (Sweden)	c3917834-b88f-4e34-bffb-6bf40bdcf425

## Downloads

### Documentation

#### Bid Text

<a href="#">ausschreiben.de 821-104</a>	URL	Download
---	-----	----------

#### Additional Information

Technical Section	pdf	Download
Technical explanations	2.2 MB	

## CAD/CAE-Data

### CAE data

<a href="#">WSCAD Universe 821-104</a>	URL	Download
--	-----	----------

## Environmental Product Compliance

### Compliance Search

<a href="#">Environmental Product Compliance 821-104 TOPJOB® S subdistribution board set</a>	URL	Download
--	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!