

**LINEAR TECHNOLOGY MATERIALS DECLARATION**

1t1336cs#pbf

(Engineering Calculation)

SOIC

(printed on: 2020-07-11 18:07:05)

**TOTAL MASS (g) : 0.156717**

COMPONENT MATERIAL	VENDOR/ INDUSTRY NAMES	CONSTITUENT NAME	CAS NUMBER	CONSTITUENT MASS (g)	CONSTITUENT (PPM) OF MATERIAL	CONSTITUENT (PPM) OF TOTAL PKG.		
Active Device	Linear Technology	Silicon (Si)	7440-21-3	0.003825	1000000	24407.0976562		
Die Coat	Dow Corning	Silicone	69430-27-9	0.000000	0	0		
Lead Frame	Cu	Copper (Cu)	7440-50-8	0.051070	975000	325874.65625		
		Iron (Fe)	7439-89-6	0.001257	24000	8020.84228516		
		Phosphorus (P)	7723-14-0	0.000016	300	102.095054626		
		Zinc (Zn)	7440-66-6	0.000037	700	236.094818115		
		Nickel (Ni)	7440-02-0	0.000000	0	0		
		Silicon (Si)	7440-21-3	0.000000	0	0		
		Magnesium (Mg)	7439-95-4	0.000000	0	0		
		Tin (Sn)	7440-31-5	0.000000	0	0		
<b>Lead Frame Total:</b>				<b>0.052380</b>	<b>1000000</b>	<b>334233.65625</b>		
Plating	PMI	Exter. Plating Pb	7439-92-1	0.000000	0	0		
		Exter. Plating Sn	7440-31-5	0.002954	1000000	18847.4101562		
		<b>External Plating Total:</b>				<b>0.002954</b>	<b>1000000</b>	<b>18847.4101562</b>
		Inter. Plating Ni	7440-02-0	0.000000	0	0		
		Inter. Plating Ag	7440-22-4	0.000419	1000000	2673.61401367		
<b>Internal Plating Total:</b>				<b>0.000419</b>	<b>1000000</b>	<b>2673.61401367</b>		
Die Attach	ELECTRICALLY CONDUCTIVE ADHESIVE	Silver (Ag)	7440-22-4	0.001076	750000	6865.89257812		
		Tin (Sn)	7440-31-5	0.000000	0	0		
		Lead (Pb)	7439-92-1	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.000000	0	0		
		Indium (In)	7440-74-6	0.000000	0	0		
		Metal Oxide		0.000000	0	0		
		Antimony (Sb)	7440-36-0	0.000000	0	0		
		Resin (EP)		0.000359	250000	2290.75756836		
<b>Die Attach Total:</b>				<b>0.001435</b>	<b>1000000</b>	<b>9156.65039062</b>		
Encapsulation	MULTI-AROMATIC RESIN Br/Sb Free	Resin (EP)		0.009816	103000	62635.3164062		
		Bromine (Br)	40039-93-8	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.085294	895000	544256		
		Antimony Trioxide (Sb2O3)	1309-64-4	0.000000	0	0		
		Metal Hydroxide		0.000000	0	0		
		Carbon Black (C)	1333-86-4	0.000191	2000	1218.75964355		
		<b>Encapsulation Total:</b>				<b>0.095301</b>	<b>1000000</b>	<b>608110.0625</b>
Bond Wire Estimated	AFW/TANAKA/ Kn	Gold (Au)	7440-57-5	0.000403	1000000	2571.51928711		
					<b>TOTAL MASS (g) :</b>	<b>0.156717</b>		