

LINEAR TECHNOLOGY MATERIALS DECLARATION

ltc2845iuhf#pbf

(Engineering Calculation)

QFN 5mm X 7mm Exp. Pad

(printed on: 2020-07-11 19:30:17)

TOTAL MASS (g) : 0.091761

| COMPONENT MATERIAL | VENDOR/ INDUSTRY NAMES | CONSTITUENT NAME | CAS NUMBER | CONSTITUENT MASS (g) | CONSTITUENT (PPM) OF MATERIAL | CONSTITUENT (PPM) OF TOTAL PKG. | | |
|--------------------------------|----------------------------------|--------------------------------|------------|----------------------|-------------------------------|---------------------------------|----------------|---------------------|
| Active Device | Linear Technology | Silicon (Si) | 7440-21-3 | 0.004517 | 1000000 | 49225.7851562 | | |
| Die Coat | Dow Corning | Silicone | 69430-27-9 | 0.000000 | 0 | 0 | | |
| Lead Frame | Cu | Copper (Cu) | 7440-50-8 | 0.037381 | 975000 | 407374.15625 | | |
| | | Iron (Fe) | 7439-89-6 | 0.000920 | 24000 | 10026.0615234 | | |
| | | Phosphorus (P) | 7723-14-0 | 0.000012 | 300 | 130.774719238 | | |
| | | Zinc (Zn) | 7440-66-6 | 0.000027 | 700 | 294.243103027 | | |
| | | Nickel (Ni) | 7440-02-0 | 0.000000 | 0 | 0 | | |
| | | Silicon (Si) | 7440-21-3 | 0.000000 | 0 | 0 | | |
| | | Magnesium (Mg) | 7439-95-4 | 0.000000 | 0 | 0 | | |
| | | Tin (Sn) | 7440-31-5 | 0.000000 | 0 | 0 | | |
| Lead Frame Total: | | | | 0.038340 | 1000000 | 417825.1875 | | |
| Plating | PMI | Exter. Plating Pb | 7439-92-1 | 0.000000 | 0 | 0 | | |
| | | Exter. Plating Sn | 7440-31-5 | 0.001850 | 1000000 | 20159.484375 | | |
| | | External Plating Total: | | | | 0.001850 | 1000000 | 20159.484375 |
| | | Inter. Plating Ni | 7440-02-0 | 0.000000 | 0 | 0 | | |
| | | Inter. Plating Ag | 7440-22-4 | 0.000831 | 1000000 | 9056.14941406 | | |
| Internal Plating Total: | | | | 0.000831 | 1000000 | 9056.14941406 | | |
| Die Attach | ELECTRICALLY CONDUCTIVE ADHESIVE | Silver (Ag) | 7440-22-4 | 0.001655 | 750000 | 18036.0136719 | | |
| | | Tin (Sn) | 7440-31-5 | 0.000000 | 0 | 0 | | |
| | | Lead (Pb) | 7439-92-1 | 0.000000 | 0 | 0 | | |
| | | Silica (SiO2) | 60676-86-0 | 0.000000 | 0 | 0 | | |
| | | Indium (In) | 7440-74-6 | 0.000000 | 0 | 0 | | |
| | | Metal Oxide | | 0.000000 | 0 | 0 | | |
| | | Antimony (Sb) | 7440-36-0 | 0.000000 | 0 | 0 | | |
| | | Resin (EP) | | 0.000552 | 250000 | 6015.63671875 | | |
| Die Attach Total: | | | | 0.002207 | 1000000 | 24051.6503906 | | |
| Encapsulation | MULTI-AROMATIC RESIN Br/Sb FREE | Resin (EP) | | 0.005689 | 130000 | 61998.109375 | | |
| | | Bromine (Br) | 40039-93-8 | 0.000000 | 0 | 0 | | |
| | | Silica (SiO2) | 60676-86-0 | 0.037634 | 860000 | 410131.3125 | | |
| | | Antimony Trioxide (Sb2O3) | 1309-64-4 | 0.000000 | 0 | 0 | | |
| | | Metal Hydroxide | | 0.000000 | 0 | 0 | | |
| | | Carbon Black (C) | 1333-86-4 | 0.000438 | 10000 | 4773.27685547 | | |
| | | Encapsulation Total: | | | | 0.043761 | 1000000 | 476902.6875 |
| Bond Wire Estimated | AFW/TANAKA/ Kn | Gold (Au) | 7440-57-5 | 0.000255 | 1000000 | 2778.96240234 | | |
| | | | | | TOTAL MASS (g) : | 0.091761 | | |