



.XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





\exists

NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|--------------------------------------|---|------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-47W | 1624-1TD | ISSUE |
| | | | PART NUMBER: 628-47W1624-1TD | | 1 |




COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.0/

23.53

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female


| . 0.30 | 7.64 | 6.30 | | |
|---|--|--|---|---|
| | | 11W | 1 Male/Female | |
| | 8W8 Female | | | |
| 47.05 | $ \begin{array}{c} $ | | | |
| CURRENT RA | | 17W2 | 2 Male/Female | |
| 10A / | | | +- 47.05 ++ | |
| 20A / 30A / 40A / | 3.7 | 2 2 2 | 2363 13.85 | |
| | | | | |
| | | COMBINATION | I D-SUB | |
| | | | 1 | ļ |
| SERIES FULLY CONFORMS TO EUROPEAN UNION DIRECTIVES 65/EU FOR RoHS COMPLIANCY. | | EDAC INC TORONTO, ONTARIO CANADA | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOIL WRITTEN PERMISSION | |



2011/65/EU FOR RoHS COMPLIANCY.


| SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|--------------------------------------|--------------------|--|
| DRAWN: C.B | DATE: JAN. 01/2019 | |
| CHECKED: | DATE: | |
| SCALE: N.T.S | SHEET 3 OF 4 | |
| DRAWING NUMBER: 628-47W | 1624-1TD ISSUE | |
| PART NUMBER: 628-47W | 1624-1TD 1 | |

8W8 Male



63.50

3.30



WITHOUT WRITTEN PERMISSION.


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25








25W3 Male







47.02 23.53 14.51 9.70 7.79 김 영

25W3 Female


36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male

COMPLIANT






2.77







| | SW REFERENCE NO.: 628 COMBO ASSEM | | | OMBO ASSEMBLY | |
|--|-----------------------------------|--|---------------------------------|------------------|-------|
| | COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 |)19 |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY. | TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 628-47W1624-1TD | | ISSUE |
| | | | PART NUMBER: 628-47W | 1624-1TD | 1 |