

Data Notes

Note Only required when using relays without integrated status indicator!

Technical data

Operating Data

| | |
|------------------------------|----------|
| Nominal operating voltage | AC 115 V |
| Current consumption at U_N | 1.7 mA |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Signaling

| | |
|------------------|---------|
| Status indicator | Red LED |
|------------------|---------|

Safety and protection

| | |
|-----------------|------|
| Protection type | IP20 |
|-----------------|------|

Mechanical data

| | |
|---------------|------------------|
| Mounting type | Pluggable module |
|---------------|------------------|

Material Data

| | |
|-----------|---------|
| Fire load | 0.03 MJ |
| Weight | 1.6 g |

Commercial data


| | |
|-----------------------|--------------------------|
| Product Group | 6 (INTERFACE ELECTRONIC) |
| eCl@ss 10.0 | 27-37-16-92 |
| eCl@ss 9.0 | 27-37-16-92 |
| ETIM 8.0 | EC002586 |
| ETIM 7.0 | EC002586 |
| PU (SPU) | 50 (25) pcs |
| Packaging type | box |
| Country of origin | CN |
| GTIN | 4045454389499 |
| Customs tariff number | 85318070000 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Approvals / Certificates

General approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|--|--|--------------------------|--------------------------|
|  | EAC Brjansker Zertifizierungsstelle | TP TC 004/2011 | EAC RU C-DE.AM02.B.00122 |

Subject to changes. Please also observe the further product documentation!

Downloads

Documentation

Bid Text

| | | | |
|-------------------------|-------------|-----------------|----------|
| 788-124 docx - Datei | 2019 Feb 20 | docx 15.4 kB | Download |
|-------------------------|-------------|-----------------|----------|

| | | | |
|------------------------|-------------|---------------|----------|
| 788-124 X81 - Datei | 2019 Feb 19 | xml 2.6 kB | Download |
|------------------------|-------------|---------------|----------|

Additional Information

| | | | |
|---|------------------------|---------------|----------|
| Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging | V 1.1.0 2022 Aug 18 | pdf 2.2 MB | Download |
|---|------------------------|---------------|----------|

CAD/CAE-Data

CAE data

| | | |
|------------------------|-----|----------|
| WSCAD Universe 788-124 | URL | Download |
|------------------------|-----|----------|

| | | |
|----------------------|-----|----------|
| ZUKEN Portal 788-124 | URL | Download |
|----------------------|-----|----------|

| | | |
|---------------------------|-----|----------|
| EPLAN Data Portal 788-124 | URL | Download |
|---------------------------|-----|----------|

CAD data

| | | |
|----------------------|-----|----------|
| 2D/3D Models 788-124 | URL | Download |
|----------------------|-----|----------|

Environmental Product Compliance

Compliance Search

| | | |
|--|-----|----------|
| Environmental Product Compliance 788-124 Accessories for relay modules; Operation status indicator: red | URL | Download |
|--|-----|----------|

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.