



Data

Technical data

Main product function	Operating tool
Number of spacings	1 -way

Physical data

Depth	60 mm / 2.36 inches
Pin spacing	2.5 mm

Mechanical Data

Suitable	for 236 Series
----------	----------------

Subject to changes. Please also observe the further product documentation!

Material Data

Color	gray
Weight	4.6 g
Material	Stainless steel

Commercial data


Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	500 (1) pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143609074
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	BV Bureau Veritas S.A.	IEC 60998	11915/D0 BV

Downloads

CAD/CAE-Data

CAD data

2D/3D Models 236-335	URL	Download

CAE data

Subject to changes. Please also observe the further product documentation!



ZUKEN Portal 236-335

URL

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 236-335

URL

Download

Operating tool; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.