

## Specification Sheet

Part Number: 596-00377



Pre-Printed Header Label, DANGER, 2.75" x 5.50", PET, Red, 250/roll

**Article Number**

596-00377

**Type**

DV55X275

**Color**

Red (RD)

### Features & Benefits

- Pre-Printed Signal Word labels come with the header pre-printed in colors so that only one color of ribbon is needed to complete the message panel. • Labels are pre-made to the most recent ANSI standards so that code compliance is assured. • Pre-Printed Signal Panel labels can be printed using standard thermal transfer printers to reduce labor, eliminate minimum orders and allow the user to create labels on demand when needed.

**Quantity Per**

roll

### Product Description

Pre-Printed Signal Word Labels come pre-printed with WARNING, NOTICE, CAUTION, DANGER and SAFETY headers in orange, blue, yellow, red and green as defined by ANSI Z535. The variable body text can be printed using TagPrint Pro labeling software and the HellermannTyton line of thermal transfer printers or any standard thermal transfer printer. Only one color needs to be printed to complete the label, saving time and money.

<b>Short Description</b>	Pre-Printed Header Label, DANGER, 2.75" x 5.50", PET, Red, 250/roll
<b>Global Part Name</b>	DV55X275-PET-RD
<b>Technical Description</b>	Pre-Printed Header Label, DANGER, 2.75" X 5.5", Red
<b>Width W (Imperial)</b>	2.75
<b>Width W (Metric)</b>	69.85
<b>Thickness T (Metric)</b>	64.0
<b>Height H (Imperial)</b>	5.5
<b>Height H (Metric)</b>	139.7
<b>Width of Liner (Metric)</b>	71.12
<b>Width of Liner (imperial)</b>	2.80
<b>Material</b>	Polyester (PET)
<b>Material Shortcut</b>	PET
<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +302°F (-40°C to +150°C)

**Operating Temperature (Metric)** -40°F to +302°F (-40°C to +150°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**UL Recognized (US)** Yes

**Package Quantity(Imperial)** 250

**Package Quantity (Metric)** 250

**Customs Number** 3919102055

**Labels per Column** 1

**Labels per Row** 1

**Weight (Metric)** 0.521

**Weight (Imperial)** 1.14