

Data sheet | Item number: 706-100/310-200

System cable; 10-pole; Pluggable connector per DIN 41651; open-ended;
Length: 2 m; Conductor cross-section: 0.14 mm²



www.wago.com/706-100/310-200



i Picture differs from the item.

| Color coding acc. to DIN VDE 47100 | | 10 poles flat connector |
|---------------------------------------|--|----------------------------|
| | | Pin number |
| White | | 1 |
| Brown | | 2 |
| Green | | 3 |
| Yellow | | 4 |
| Grey | | 5 |
| Pink | | 6 |
| Blue | | 7 |
| Red | | 8 |
| Black | | 9 |
| Violet | | 10 |

**Data
Notes**

Note When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Electrical data

| | |
|-------------------------|--------------|
| Operating voltage | ≤ AC/DC 35 V |
| Current per wire (max.) | 1 A |

Connection data

| | |
|------------|-------------------|
| Cable type | LiYY |
| Color code | per DIN VDE 47100 |

Connection 1

| | |
|--------------------|---|
| Connector | Pluggable connector per DIN 41651; female connector |
| Pole number 1 | 10 |
| Connection type 1 | System |
| Wire cross-section | 0.14 mm ² |
| Connection type | Pluggable Connector per DIN 41651 |

Connection 2

| | |
|-------------------|------------|
| Connector 2 | open-ended |
| Connection type 2 | open-ended |

Physical data

| | |
|--------------|-----|
| Cable length | 2 m |
|--------------|-----|

Material Data

| | |
|--------|------|
| Weight | 91 g |
|--------|------|

Environmental requirements

| | |
|---------------------------------|----------------|
| Ambient temperature (operation) | -20 ... +50 °C |
|---------------------------------|----------------|

Commercial data

| | |
|-------------------|---------------|
| ETIM 8.0 | EC000237 |
| ETIM 7.0 | EC000237 |
| PU (SPU) | 1 pcs |
| Packaging type | bag |
| Country of origin | FR |
| GTIN | 4055143406536 |

Subject to changes. Please also observe the further product documentation!



Customs tariff number

85444290900

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-100/310-200

URL

Download

System cable; 10-pole; Pluggable connector per DIN 41651; open-ended; Length: 2 m; Conductor cross-section: 0.14 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.