

Specification Sheet

Part Number: 157-00404



Wide Strap Cable Tie with .38" Stud Mount, 12.7" Long, .5" Wide, PA66HIRHSUV, Black, 300/Bag

| | |
|---------------------|---|
| Article Number | 157-00404 |
| Type | WSI380 |
| Color | Black (BK) |
| Features & Benefits | <ul style="list-style-type: none">•Mount provides low insertion and high extraction forces which makes for a strong and easy installation.•Tie utilizes a strong hinge between the stud mount and strap head to provide superior holding ability.•Clamping rails increase grip on round bundles.•Thinner strap provides increased flexibility for improved ergonomics. |
| Quantity Per | bag |

Product Description

The Wide Strap Stud Mount Cable Tie minimizes pinching on soft bundles and features a low profile head to provide compact bundling. A thinner strap provides increased flexibility for improved ergonomics. Available in various stud mount sizes, the wide strap tie utilizes a strong hinge between the stud mount and head to provide superior holding ability on a threaded stud.

| | |
|--|--|
| Short Description | Wide Strap Cable Tie with .38" Stud Mount, 12.7" Long, .5" Wide, PA66HIRHSUV, Black, 300/Bag |
| Global Part Name | WSI380-PA66HIRHSUV-BK |
| Minimum Tensile Strength (Imperial) | 120.0 |
| Minimum Tensile Strength (Metric) | 534 |
| Length L (Imperial) | 12.7 |
| Length L (Metric) | 322.6 |
| Fixation Method | Weld Stud Fixing |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | plastic pawl |
| Variant | Inside Serrated |
| Width W (Imperial) | 0.5 |
| Width W (Metric) | 12.7 |
| Bundle Diameter Min (Imperial) | 0.38 |
| Bundle Diameter Min (Metric) | 9.5 |
| Bundle Diameter Max (Imperial) | 3.2 |

| | |
|---------------------------------------|--|
| Bundle Diameter Max (Metric) | 82.5 |
| Stud Diameter (Metric) | M10 |
| Stud Diameter (Imperial) | 3/8 |
| Material | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut | PA66HIRHSUV |
| Flammability | UL 94 HB |
| Operating Temperature (Metric) | -40°F to +230°F (-40°C to +110°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| Package Quantity(Imperial) | 300 |
| Package Quantity (Metric) | 300 |
| Customs Number | 3926909988 |
| Content Unit(BMEcat) | pcs. |
| Weight (Metric) | 7.22 |

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)