

Specification Sheet

Part Number: TAGPP1T6-822C



Thermal Transfer Labels, .63" x .31", 6 Across, Polyester, Clear, 1000/roll

Article Number	596-00029
Type	TAGPP1T6
Color	Clear (CL)
Features & Benefits	<ul style="list-style-type: none">•Clear polyester is glossy, allowing for the highest resolution and print contrast.•The acrylic-based adhesive bonds to a wide variety of substrates and can withstand high temperatures long term.
Quantity Per	roll

Product Description

HellermannTyton transparent/clear polyester labels are ideal for marking products where the visibility of the label needs to be minimized, such as consumer products, where the color of the housing needs to remain as clean looking as possible. The clear material allows the surface color to blend in with the printed text. These labels can also be used as an over-laminate to provide further protection for printed text in extreme environments.

Short Description	Thermal Transfer Labels, .63" x .31", 6 Across, Polyester, Clear, 1000/roll
Global Part Name	TAGPP1T6-822C-CL
Width W (Imperial)	0.625
Width W (Metric)	15.87
Bundle Diameter Min (Imperial)	.05
Bundle Diameter Min (Metric)	1.35
Bundle Diameter Max (Imperial)	0.12
Bundle Diameter Max (Metric)	3.05
Thickness T (Metric)	64.0
Height H (Imperial)	.333
Height H (Metric)	7.92
Width of Liner (Metric)	96.52
Width of Liner (imperial)	3.80
Material	Type 822C, Clear Polyester (CL)
Material Shortcut	822C

Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +194°F (-40°C to +90°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	UL-Recognized
Package Quantity(Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3919102055
Labels per Column	1
Labels per Row	6
Weight (Metric)	0.68
Weight (Imperial)	1.48

