




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Г
	┝
	L









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W	3224-2NA	ISSUE
			PART NUMBER: 628-25W	3224-2NA	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W/2 Male/Female

PART NUMBER:





628-25W3224-2NA


ISSUE

1


		11W1 Male/Female		27W2 Male	e/Female	ž	
23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 23.03 24.05 25	nale 31.75 22.83 → → → → → → → → → → → → → → → → → → →		sin Sin	Har and the second seco	22.70 16.52 • • • • • • • • • • • • • • • •	83.50 31.75 15.24 ★ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	
CURRENT RATING / ØA	∔ 836 ↓ ↓-764+	17W2 Male/Female		21W1 Male	e/Female	2	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			2 ⁹⁰ 0 2 ⁹²⁰⁰	744 148	16.52 15.24 0 0 0 0 0 - 15.24	47.05 23.63 90 90 90 90 90 90 90 90 90 90 90 90 90	
			sv	V REFERENCE NO.:	628 C	OMBO ASSEMBLY	,
COMBINA		ATION D-SUB		RAWN: C.B		DATE: JAN. 01/2	2019
			CH	IECKED:		DATE:	
LY CONFORMS TO	EDAC INC	ARE THE PROPERTY OF EDAG		CALE: N.T.S		SHEET 3 O	F 4
UNION DIRECTIVES RoHS COMPLIANCY.			HE	DRAWING NUMBER: 628-25W3224-2NA		3224-2NA	ISS
	YOUR CONNECTION TO QUALITY & SERV	VICE MANUFACTURE OR SALE OF A		RT NUMBER: 6	628-25W3	224-2NA	1


5W5 Male

5W5 Female



8W8 Male





WITHOUT WRITTEN PERMISSION.

11W1 Male/Female

THIS SERIES FULL THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 1 82 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT














	SW REFERENCE NO.: 628 COM				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-25W3224-2NA		ISSUE
			PART NUMBER: 628-25W	3224-2NA	1