

NO: RL-150 **PRODUCT:** G7SA, G7S-E Safety Relays
DATE: September 2015 **TYPE:** Modification Notice

G7SA, G7S-E Safety Relays will be Modified with Updated VDE and CSA Safety Standard Markings

Effective Date: March 2016 production

Reason for Modification: Current product shows older versions of CSA and VDE logos. This modification will bring them up to date. The CSA standard authentication mark changed and the VDE standard EN61810-1 authentication mark changed.



Affected Parts

Type G7SA series

Models	Specification
G7SA-2A2B	DC110
G7SA-2A2B	DC12
G7SA-2A2B	DC18
G7SA-2A2B	DC21
G7SA-2A2B	DC24
G7SA-2A2B	DC48
G7SA-3A1B	DC110
G7SA-3A1B	DC12
G7SA-3A1B	DC18
G7SA-3A1B	DC21
G7SA-3A1B	DC24
G7SA-3A1B	DC48
G7SA-3A3B	DC110
G7SA-3A3B	DC12
G7SA-3A3B	DC18





Models	Specification
G7SA-3A3B	DC21
G7SA-3A3B	DC24
G7SA-3A3B	DC48
G7SA-4A2B	DC110
G7SA-4A2B	DC12
G7SA-4A2B	DC18
G7SA-4A2B	DC21
G7SA-4A2B	DC24
G7SA-4A2B	DC48
G7SA-5A1B	DC110
G7SA-5A1B	DC12
G7SA-5A1B	DC18
G7SA-5A1B	DC21
G7SA-5A1B	DC24
G7SA-5A1B	DC48

Type G7S series

Models	Specification
G7S-3A3B-E	DC24

Models	Specification
G7S-4A2B-E	DC24

Marking Changes

Before the change	After the change
<p>Type G7S series Safety standard marking design changed. Product marking. Marking size of CSA marking: Height about 5.0mm Marking design of VDE marking: Triangle mark (Part authentication mark) Ex.)Type G7S-4A2B-E DC24V</p> 	<p>Type G7S series Safety standard marking design changed. Product marking. Marking size of CSA marking: Height about 3.0mm Marking design of VDE marking: House mark (Product authentication mark) Ex.)Type G7S-4A2B-E DC24V</p> 
<p>Type G7SA series Safety standard marking design changed. Product marking. Marking size of CSA marking: Height about 5.0mm Marking design of VDE marking: Triangle mark (Part authentication mark)</p> 	<p>Type G7SA series Safety standard marking design changed. Product marking. Marking size of CSA marking: Height about 3.0mm Marking design of VDE marking: House mark (Product authentication mark)</p> 

Specifications in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.