


Data sheet | Item number: 706-3057/200-200

System cable; for Schneider TSX; 12 digital outputs; Length: 2 m; Conductor cross-section: 0.14 mm²



www.wago.com/706-3057/200-200



i Picture differs from the item.

Color coding acc. to DIN VDE 47100		Interface connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0.0	1	OUT1
Brown		2	0.1	2	OUT2
Green		3	0.2	3	OUT3
Yellow		4	0.3	4	OUT4
Grey		5	0.4	5	OUT5
Pink		6	0.5	6	OUT6
Blue		7	0.6	7	OUT7
Red		8	0.7	8	OUT8
Black		9	1.0	9	OUT9
Violet		10	1.1	10	OUT10
Grey-Pink		11	1.2	11	OUT11
Red-Blue		12	1.3	12	OUT12
White-Green		13	nc	nc	nc
Brown-Green		14	nc	nc	nc
White-Yellow		15	nc	nc	nc
Yellow-Brown		16	nc	nc	nc
White-Grey		17	+24V	4	Alim+
Grey-Brown		18	0V	2	Alim-
White-Pink		19	+24V	3	Alim+
Pink-Brown		20	0V	1	Alim-

Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Electrical data

Inputs/outputs	12 digital outputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

Compatibility

Schneider

Schneider TSX	TSX DMY 28FK TSX DMY 28RFX TSX DMZ 28DTK
---------------	------------------------------------------------

Connection data

Cable type	LIYY
Color code	per DIN VDE 47100

Connection 1

Connector	Pluggable connector per DIN 41651; female connector
Pole number 1	20
Connection type 1	System
Wire cross-section	0.14 mm ²

Connection 2

Connector 2	Pluggable connector per DIN 41651; female connector
Pole number 2	20
Connection type 2	System

Physical data

Cable length	2 m
--------------	-----

Material Data

Weight	157 g
--------	-------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

Product Group	30 (WAGO France)
ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Country of origin	FR
GTIN	4045454876203
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are using.	545.9 kB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3057/200-200	URL	Download
System cable; for Schneider TSX; 12 digital outputs; Length: 2 m; Conductor cross-section: 0.14 mm ²		

Installation Notes

Subject to changes. Please also observe the further product documentation!