



HC-M-08-GBIT-MOD-BU

Order No.: 1587700

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1587700>

Socket module for Gigabit connectors

Commercial data

GTIN (EAN)	 4 046356 527965
sales group	D042
Pack	1 pcs.
Customs tariff	85389099
Catalog page information	Page 546 (PC-2011)

Product notesWEEE/RoHS-compliant since:
09/09/2009

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Electrical characteristics**

Ambient temperature (operation)	-40 °C ... 85 °C (including heating up of contacts)
Number of positions	8

Mechanical characteristics

Insertion/withdrawal cycles	≥ 500
-----------------------------	-------

General characteristics


Series	HC-M-08-GBIT
Number of module slots	1
Inflammability class acc. to UL 94	V0
Assembly instructions	Module for Order No. 1587726

Material data

Contact carrier material	PC
--------------------------	----

Diagrams/Drawings

Dimensioned drawing



Female insert

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;