





LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A2		ADD NEW PART -2	26DEC2012	AY	SZ
		A3		UPDATE -2 MODEL	07JAN2013	AY	SZ
		A5		ADD NEW DASH NUMBER -3	14NOV2014	CZ	SZ



- ⚠️ HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-0; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- ⚠️ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- ⚠️ "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- ⚠️ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⚠️ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- ⚠️ MECHANICAL CONNECTOR KEEP OUT ZONE.



DIM K	DIM T	DIM W	DIM G	DIM D	DIM L	DESCRIPTION	PART NO
.320	.300	1.070	.275	3.650	3.840	24S + 9P	6450811-3
.270	-	-	.225	.650	.840	16S	6450811-2
.270	-	-	.225	.850	1.040	24S	6450811-1

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: C. ZHOU 05MAR2008, CHK: S. ZHAO 05MAY2008, APVD: S. ZHAO

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 2 PLC ±, 3 PLC ±.005, 4 PLC ±, ANGLES ±.

MATERIAL: FINISH:


PRODUCT SPEC: 108-2292, APPLICATION SPEC: 114-13038, WEIGHT: -

NAME: VERTICAL HEADER ASSEMBLY, WITH SHORT END MODULE MULTI-BEAM XLE. SIZE: A1, CAGE CODE: 00779, DRAWING NO: 6450811, RESTRICTED TO: -

CUSTOMER DRAWING. SCALE: 4:1, SHEET 1 OF 4, REV: A5

LOC	DIST	REVISIONS			
		REV	DATE	BY	APPV
ES	00	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	SIGNAL					
		1	2	3	4	5	6
6450811-1	D	SS	SS	SS	SS	SS	SS
	C	SS	SS	SS	SS	SS	SS
	B	SS	SS	SS	SS	SS	SS
	A	SV	SV	SV	SV	SV	SV
24S	HD						HD




MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
MLBF	SIGNAL CONTACT	SS
STANDARD	SIGNAL CONTACT	SV

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±.005	4 PLC ±	ANGLES ±	FINISH
MATERIAL	FINISH	DWN: C.ZHOU 05MAR2008 CHK: S.ZHAO 05MAY2008 APVD:		NAME: VERTICAL HEADER ASSEMBLY, WITH SHORT END MODULE MULTI-BEAM XLE PRODUCT SPEC: 108-2292 APPLICATION SPEC: 114-13038 WEIGHT:		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 6450811		RESTRICTED TO:
CUSTOMER DRAWING		SCALE: 4:1	SHEET: 2	OF: 4	REV: A5			

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	- SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL			
		1	2	3	4
6450811-2	D	SV	SV	SV	SV
	C	SV	SV	SV	SV
	B	SV	SV	SV	SV
	A	SV	SV	SV	SV
16S	HD				HD




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. ZHOU 05MAR2008	TE Connectivity
DIMENSIONS: INCHES		CHK S. ZHAO 05MAY2008	
		APVD	NAME VERTICAL HEADER ASSEMBLY, WITH SHORT END MODULE MULTI-BEAM XLE
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	RESTRICTED TO
0 PLC ±		108-2292	SIZE A100779C=6450811
1 PLC ±		APPLICATION SPEC	SCALE 4:1
2 PLC ±.005		114-13038	SHEET 3 OF 4
3 PLC ±		WEIGHT	REV A5
4 PLC ±		CUSTOMER DRAWING	
ANGLES ±			
FINISH			

LOC	DIST	REVISIONS			
		REV	DATE	BY	APPD
ES	00	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	SIGNAL						POWER								
		1	2	3	4	5	6	P1	P2	P3	P4	P5	P6	P7	P8	P9
6450811-3	D	SV	SV	SV	SV	SV	SV	SZ	SZ	SZ	SZ	SZ	SZ	SZ	SZ	SZ
	C	SV	SV	SV	SV	SV	SV									
	B	SV	SV	SV	SV	SV	SV									
	A	SV	SV	SV	SV	SV	SV									
24S + 9ACP	HD															HD

NO CONTACT LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. ZHOU 05MAR2008	TE Connectivity
DIMENSIONS: INCHES		CHK S. ZHAO 05MAY2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME
0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±
4 PLC ±	ANGLES ±	PRODUCT SPEC: 108-2292 APPLICATION SPEC: 114-13038 WEIGHT: - CUSTOMER DRAWING	
MATERIAL: -		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 6450811	
FINISH: -		RESTRICTED TO: - SCALE: 4:1 SHEET 4 OF 4 REV: A5	