

**LINEAR TECHNOLOGY MATERIALS DECLARATION**

ltc2492cde#pbf

(Engineering Calculation)

DFN 4mm X 3mm Exposed Pad

(printed on: 2020-07-11 21:55:51)

**TOTAL MASS (g) : 0.032143**

COMPONENT MATERIAL	VENDOR/ INDUSTRY NAMES	CONSTITUENT NAME	CAS NUMBER	CONSTITUENT MASS (g)	CONSTITUENT (PPM) OF MATERIAL	CONSTITUENT (PPM) OF TOTAL PKG.		
Active Device	Linear Technology	Silicon (Si)	7440-21-3	0.001985	1000000	61755.7226562		
Die Coat	Dow Corning	Silicone	69430-27-9	0.000000	0	0		
Lead Frame	Cu	Copper (Cu)	7440-50-8	0.013123	975000	408272.25		
		Iron (Fe)	7439-89-6	0.000323	24000	10048.9160156		
		Phosphorus (P)	7723-14-0	0.000004	300	124.444778442		
		Zinc (Zn)	7440-66-6	0.000009	700	280.000762939		
		Nickel (Ni)	7440-02-0	0.000000	0	0		
		Silicon (Si)	7440-21-3	0.000000	0	0		
		Magnesium (Mg)	7439-95-4	0.000000	0	0		
		Tin (Sn)	7440-31-5	0.000000	0	0		
<b>Lead Frame Total:</b>				<b>0.013459</b>	<b>1000000</b>	<b>418725.59375</b>		
Plating	PMI	Exter. Plating Pb	7439-92-1	0.000000	0	0		
		Exter. Plating Sn	7440-31-5	0.000626	1000000	19468.4140625		
		<b>External Plating Total:</b>				<b>0.000626</b>	<b>1000000</b>	<b>19468.4140625</b>
		Inter. Plating Ni	7440-02-0	0.000000	0	0		
		Inter. Plating Ag	7440-22-4	0.000302	1000000	9395.58105469		
<b>Internal Plating Total:</b>				<b>0.000302</b>	<b>1000000</b>	<b>9395.58105469</b>		
Die Attach	ELECTRICALLY CONDUCTIVE ADHESIVE	Silver (Ag)	7440-22-4	0.000935	750000	29088.96875		
		Tin (Sn)	7440-31-5	0.000000	0	0		
		Lead (Pb)	7439-92-1	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.000000	0	0		
		Indium (In)	7440-74-6	0.000000	0	0		
		Metal Oxide		0.000000	0	0		
		Antimony (Sb)	7440-36-0	0.000000	0	0		
		Resin (EP)		0.000312	250000	9706.69238281		
<b>Die Attach Total:</b>				<b>0.001247</b>	<b>1000000</b>	<b>38795.6601562</b>		
Encapsulation	MULTI-AROMATIC RESIN Br/Sb FREE	Resin (EP)		0.001876	130000	58364.6054688		
		Bromine (Br)	40039-93-8	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.012410	860000	386089.9375		
		Antimony Trioxide (Sb2O3)	1309-64-4	0.000000	0	0		
		Metal Hydroxide		0.000000	0	0		
		Carbon Black (C)	1333-86-4	0.000144	10000	4480.01220703		
		<b>Encapsulation Total:</b>				<b>0.014430</b>	<b>1000000</b>	<b>448934.59375</b>
Bond Wire Estimated	AFW/TANAKA/ Kn	Gold (Au)	7440-57-5	0.000094	1000000	2924.45263672		
					<b>TOTAL MASS (g) :</b>	<b>0.032143</b>		