
ITEM NO.	PART NUMBER	DESCRIPTION		COMPONENT NOTES
1	50-00024	Connector, dc plug, 5.5x2.1xL23 mm, molding style, spring contacts	1	
2	30-00242	Wire, 2C, 18 AWG, UL SPT-1, 300V, 105C, 5.55 mm, VW-1, PVC	1	
3	24-00201	Overmold, PVC, dc plug	1	black
4	50-00555	Connector, 50 mm, alligator clip, red sleeve	1	
5	50-00556	Connector, 50 mm, alligator clip, black sleeve	1	



Wiring Diagram								
50-00024	wire color	alligator clip						
center	black with tracer	50-00555/red						
sleeve	black	50-00556/black						

Revision:	Date:	Description:	Prepared: Digitally signed by PS	Notes:					
Α	5/23/2017	Initial release	PS Date: 2017.07.20 15:50:18 -07'00'	RoHS compliant	TENSILITY tel 1.541.323.3228 800 877.670.7118 fax 1.541.323.4202 web tensility.com				
			Verified: GL Digitally signed by GL Date: 2017.07.21 08:15:55-07'00'	Function test: no open, no short circuit, no intermittent Description: Cable, 305 mm, 5.5x2.1 mm 50-00024 dc plug to alligator clips, 18 AWG, 30-00242 wire					
			Dimensions are in millimeters.						
			Tolerances: X: ± 0.5 mm			Size: Part number: A 10-02456			
			X.X: ± 0.3 mm X.XX: ± 0.05 mm			Scale:	1:1		Sheet 1 of 1

5 4 3 2 1