

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018665](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Press-In Tool for 5-Pair by 16-Column Assemblies


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above. Type: PRESS BLK
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Press-Fit Insertion Tool
UPC	883906116323
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-622018665, TM-622018799](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Contained Per -
ED/108/2014 (17 Dec
2014)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

[76055](#) Impact 5 Pair Vertical Backplane Header

Application Tooling | **FAQ**

Description	Product #
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, MAPS, Lead Free	1712961605
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16	1712961607

Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Matte Tin, 0.254µm
Gold
Impact 100 Ohm [1712961608](#)
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm [1712961617](#)
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Matte Tin, 0.254µm
Gold
Impact 100 Ohm [1712961618](#)
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm [1712961627](#)
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Matte Tin, 0.254µm
Gold
Impact 100 Ohm [1712961638](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
MAPS, Lead Free

Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760551603</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760551604</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760551605</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760551606</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760551607</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>760551608</u>

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551613

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551614

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551615

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551616

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551617

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551618

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551623
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551624
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551625
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551626
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551627
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551628
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551633
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551634
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551635
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551636
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551637
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551638
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553603

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553604

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553605

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553606

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553607

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553608

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,

16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553614

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 760553615

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 760555603

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760555604

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760555605

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760555606

5 Pair Vertical

Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555607](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555608](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555615](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760555617](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760557603](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557604

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557605

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557606

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557607

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557608

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559603

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760559604
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760559605
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760559606
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559607
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559608
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION