


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




|--|

(1)

ORIGINAL





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

Ť	ĨŪ	J	ĴĴ	ŃŴ	ŃŃ	ÚÚÚ	Ŵ	Ш	


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



		SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
	CHECKED:	DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-36W4	1224-3N4	ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-36W4	1224-3N4	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female







(1)

21W4 Male/Female

PART NUMBER:






627-36W4224-3N4


	7.84					
		11W1 Male/Female	27W2 Male/Femal	le		
47.06 23.03 8 14.48 90 25.25 23.05 8 14.48 90 25.25 23.05 24.05 25.05	8W8 Female 31.75 22.83 22.97 4 4 4 4 4 4 4 4 4 4			83.50 31.75 2 15.24 ++++++++++++++++++++++++++++++++++++	- Beas	
		17W2 Male/Female	21W1 Male/Femal	le		
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			35.30			
			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBI	COMBINATION D-SUB			19	
			CHECKED:	DATE:		
ERIES FULLY CONFORMS TO	EDAC	ARE THE PROPERTY OF EDAC INC., AN		SHEET 3 OF	4	
UROPEAN UNION DIRECTIVES 5/EU FOR RoHS COMPLIANCY.		DA OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-36VV	/4224-3N4	ISSUE	
	YOUR CONNECTION TO QUALITY & S	SERVICE MANUFACTURE OR SALE OF APPARAT	PART NUMBER: 627-36W/22/-3N/ 1			

5W5 Male

5W5 Female




8W8 Male



YOUR CONNECTION TO QUALITY & SERVICE

5.30



WITHOUT WRITTEN PERMISSION.

THIS SEF THE EUF 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-36W	4224-3N4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-36W4224-3N4		1