



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|---|-------------------------------------|---|---------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-3WK3224-7T6 | | ISSUE |
| Y | OUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 627-3WK | 3224-7T6 | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




| Γ | | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|-------------------|--------------------------------------|---|--------------------------------------|------------------|-------|--|
| COMBINATION D-SUB | | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | | |
| Γ | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 3 OF | 4 | |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-3WK | 3224-7T6 | ISSUE | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 627-3WK | 3224-7T6 | 1 | |

5W5 Male

5W5 Female

COMPLIANT



47.05


23.53

8W8 Male


8W8 Female

31.75


22.83



22.97





11W1 Male/Female




17W2 Male/Female

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25



25W3 Female


36W4 Female






25W3 Male







47.06 9.70 - 14.51 3 3 3 2 6 1 - 14.51







13W3 Male








30.50 20.70 16.62 13.72 10.24 8.74 10.75 10.24 8.74 10.75

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female







47W1 Female




17W5 Male



47W1 Male





| | | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | |
|--------------------------|--------------------------------------|--|--------------------------------------|------------------|-------|
| | COMBINATION | COMBINATION D-SUB | | DATE: JAN. 01/20 |)19 |
| | | | CHECKED: | DATE: | |
| FORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 4 OF | 4 |
| DIRECTIVES OMPLIANCY. | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-3W | K3224-7T6 | ISSUE |
| | | | PART NUMBER: 627-3W | K3224-7T6 | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.