Protect It! 230V Surge Protector with 2 Schuko Type F Outlets, 0.33M Cord, 380 Joules, German plug

MODEL NUMBER: **TLP2USBD**

Highlights

- 2 safety outlets
- 380 joule rating
- 2 USB ports
- 33 cm cord

Package Includes

- TLP2USBD surge suppressor
- Instruction manual and warranty information

Description

Tripp Lite's Protect It!™ TLP2USBD offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP2USBD offers 2 Schuko type F outlets and 33 cm AC line cord. Two USB ports are perfect for charging cell phones, iPods, MP3 players and other mobile devices. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP2USBD offers economical AC surge suppression
- 380 joules AC surge suppression shields equipment from surges and line noise
- 2 Schucko outlets protects computers and peripherals
- 2 USB ports are perfect for changing cell phones, iPods, MP3 players and other mobile devices
- 33 cm cord with German plug
- Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW	
UPC Code	037332145376

INPUT	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Voltage Compatibility (VAC)	220-250
Input Plug Type	German

Input Cord Length (ft.)	1
Right-Angle Plug	Yes
Input Cord Length (m)	0.30
Integrated Cord Clip	No

OUTPUT

Output Receptacles	(2) Schuko Type F
Circuit Breaker (amps)	10
Transformer Accommodation	(1) Yes

USER INTERFACE, ALERTS & CONTROLS

Diagnostic LED(s)	No

CHARGING

Number of Charging Ports	2
Charging Method	USB
Charging Port Type	USB A (FEMALE)

SURGE / NOISE SUPPRESSION

AC Suppression Joule Rating	380
Automatic Shut-Off	No

DATALINE SURGE SUPPRESSION

Cable (Coax) Protection	No
Network (Ethernet) Protection	No
Telephone/DSL Protection	No

PHYSICAL

Color	Black
Power Cord Color	Black
Housing Color	Black
Mounting Holes or Slots	No
Receptacle Color	Gray
Shipping Dimensions (hwd / cm)	22.02 x 15.49 x 8.00
Shipping Dimensions (hwd / in.)	8.67 x 6.10 x 3.15
Shipping Weight (kg)	0.23
Shipping Weight (lbs.)	0.50

Unit Dimensions (hwd / in.)	5.9 x 2.17 x 1.63
Unit Dimensions (hwd / cm)	14.99 x 5.51 x 4.14
Unit Weight (lbs.)	.48
Unit Weight (kg)	0.22
CONNECTIONS	
Number of Ports	2
FEATURES & SPECIFICATIONS	
Antimicrobial	No
Rotatable Outlets	No
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty