

Data sheet

16177.2 WE-4AO



Webeasy I/O analogue output module, 4 analogue outputs 0 - 10 V, Mounting type: Mounting rail TS 35, Supply voltage range: 20 V - 28 VAC/DC

Business data

Article number	<u>16177.2</u>
Article name	WE-4AO
GTIN (EAN)	4044211207694
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	66 g
Weight per piece (including packaging)	106 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

Technical data

Dimensions

Length	95 mm
Width	36 mm
Height	60 mm

Connection data

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm ²
Wire cross-section single-core (rigid), max.	4 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	4 mm ²
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm ²
Stripping length	6 mm
Torque	0.4 Nm


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

16177.2 WE-4AO

Media



24	003	0V	24	004	0V
INTERNAL BUS	A1		INTERNAL BUS	A1	⊖
INTERNAL BUS	A2		INTERNAL BUS	A2	⊖
INTERNAL BUS	A		INTERNAL BUS	A	⊖
INTERNAL BUS	B		INTERNAL BUS	B	⊖
24	001	0V	24	002	0V

Accessories
