



Shenzhen XinLisheng Hardware Electronics Co., Ltd.

2.4g 5.8g dual band wifi PCB antenna

| | |
|---|-----------------------------------|
| Item NO. | xls-1104 |
| Frequency range | 2400-2500Mhz/5150-5850Mhz |
| VSWR | ≤1.8 |
| Polarization | Vertical |
| Input impedance | 50Ω |
| Power | 30w |
| Size | 95*13*1mm |
| Cable length | 100mm or customized length |
| Cable type | 1.13 coax cable |
| Connector | IPEX or MMCX/MHF4 etc |
| Mounting | 3M sticker |
| Operation Temperature | - 40 °C ~ + 80 °C |
| Storage Temperature | - 40 °C ~ + 80 °C |
| Application | Wifi 2.4g antenna 5.8g antenna 5g |
| IpeX connector or stripped cable optional | |



2.4G 5G 5.8G PCB Antenna
Gain:8dBi



XinLisheng

Powerful Factory
Support customization



2.4G 5G 5.8G PCB Antenna
Gain:8dBi



1.13 cable/10cm/lpex

Connectors optional:



Powerful Factory
 Support customization



3M Stick on back

2.4G 5G 5.8G PCB Antenna
Gain:8dBi
 Fre:2400-2500/5150-5850Mhz

Powerful Factory
 Support customization



Powerful Factory
Support customization

Shenzhen XinLisheng Hardware Electronics Co., Ltd.

Address: No. 84 King Sheng Road, Tongle Community, Longgang Street, Longgang District, Shenzhen City

Email: sales1@xls-antenna.com

Phone/wechat/whatsapp: +8618270216661

Tel/Fax : +86-0755-89565240

skype: sales1@xls-antenna.com

Webshop:

 <http://xls-antenna.en.alibaba.com>