	T O			
4	Z M Thread	ØF F F F F F F F F F F F F F F F F F F		4
ယ			LAYOUT SHOWN AS EXAMPLE	3
	CHARACTERISTICS -Standard : Based on MIL-DTL-38999 Series III -Shell Material : Aluminium Shell Pleting	Keying Shown as example Connector dimension Dim Nominal F 22.25 Max Z 31.5 Max	SOURIAU shall not be liable for any non-conformity or damage	
	-Shell Plating: Olive drab Cadmium-Insulator: Thermoplastic-Contacts: Copper Alloy	VV THREAD M18x1-6g	due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)	
N	-Seals & Grommet : Silicon Elastomer -Contact Plating : Gold over copper Alloy 0.8μm minimum		CountryJurisdiction & Control ListFRNot Listed	2
	-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories		PN: 8D113W26BA	
	-Temperature Range : -65°C to +175°C -Salt Spray : 500 hours		A 27-09-2016 First Release ISS DATE Latest modification - by	
			ISS DATE Latest modification - by Designed By: Date: CUSTOMER DRAWING	MOD N°
			TITLE Aluminium Inline plug 8D series	
	BASIC SERIES: 8D 1 - 13 W SHELL TYPE : In line Receptacle	26 B A ORIE	SCALE General linear NPRDS / PROJECT NA Tolerances: ± ENTATION : A SOURIAU WWW.SOURIAU.COM 500 Matings) WWW.SOURIAU.com This document is the propert SOURIAU	or
	PLATING : W = Olive drab Cadmium		YOUT : 13-26 FORMAT SOURIAU DRG N°	SHEET 1/2
L	H G	FE	A3 8D113W26BA-C D C B A	

_	Т	۵		П	п	D	C	D D	A		
		Contact Layout									
		26									
4										4	4
	۰ ۵ ۵ ۵ ۵ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲										
		\checkmark									
	2#12 6#22D										
	13-26									-	
	Ctc		Y								
	A		47								
	В		34								
ω	C D		.34 .47								3
	E		.47								5
	F		34								
	1		0								
	2		0								
					SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)						
N									n & Control List ot Listed	,	2
							PN: 8D113W26BA				_
						A 27-09-2010	6 First Release				
						ISS DATE	Latest modification - by			10D N°	
						Designed By:	Date:	CL	JSTOMER DRAWING		
						TITLE	TITLE Aluminium Inline plug 8D series				
						SCALE		al linear	NPRDS / PROJECT		
→						NA	$\zeta (\langle \Psi \rangle)$	ances:	859		1
						SOURIAU	WWW.SOURIAU.COM This document is the proper SOURIAU it must not be reproduced communicated without permit			r	
						FORMAT		RIAU DRG N°		SHEET	
					I	A3		.13W26BA-C		2/2	
L	Н	G		F	E	D	С	В	A		