Mounting Option Contact Detail PC Tail .046x.013(1.17x0.33) - Tail LG=.358(9.09) .344 (8.74) Offset Card Guides .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing **-**--0.156 [3.96] <u>0.500[12.70]</u> - 5.000 [127.00] -5.146[130.71]--5.432[137.97]--5.916[150.27]

-5.742 [145.85]

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ORIGINAL

SECTION A-A

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37]

to .070 [1.78] Thick P.C. Board

DRAWN:

ACAD REFERENCE NO.

J.LEE

307 / 357 Card Edge Connector Part Number: 357-031-427-168

YOUR CONNECTION TO QUALITY & SERVICE

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

CHECKED: DATE: OF 3 SCALE: SHEET 1 DRAWING NUMBER **ISSUE** 307 Assembly

307 ENG MASTER

DATE: AUG. 11/09

See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

0.473[12.01]



