



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Technical data

General

Insulation resistance	1000 MΩ
Pollution degree	3
Protection type	IP67
Note on protection type	in fully locked position

Other properties

Note	M12/M12 distribution connectors must only be used in combination with pre-assembled cables!
------	---

Connector

Connection type	M12 Socket; M12 Socket - M12 plug
Connector interface coding (cable/adaptor) 1 1	A-coded
Connector interface coding (cable/adaptor) 1 2	A-coded
Connector interface coding (cable/adaptor) 2 1	A-coded

Commercial data

eCl@ss 10.0	27-24-26-92
eCl@ss 9.0	27-24-26-92
ETIM 8.0	EC002584
ETIM 7.0	EC002584
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454835637
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Bid Text

756-9301/050-000 X81 - Datei	2019 Feb 19	xml 2.7 kB	Download
---------------------------------	-------------	---------------	----------

756-9301/050-000 doc - Datei	2017 Sep 20	doc 24.6 kB	Download
---------------------------------	-------------	----------------	----------

System Description

IP67 Cables and Pluggable Connectors		pdf 161.6 kB	Download
--------------------------------------	--	-----------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 756-9301/050-000		URL	Download
---------------------------------	--	-----	----------

WSCAD Universe 756-9301/050-000		URL	Download
---------------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 756-9301/050-000 Accessories; 5-pole		URL	Download
--	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!