
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact_resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \mbox{Insulator resistance: 5000V AC rms} \\ \mbox{$




			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-2W2-640-3N5		ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-2W2-	640-3N5	1		





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE

2.77

PCB EDGE



21W4 Male/Female




21W1 Male/Female




	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4	
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-2W2	BER: 630-2W2-640-3N5		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-2W2	-640-3N5	1	

5W5 Female




8W8 Female




PCB EDGE

17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2







TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female



31.75

21.9

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.3

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



	ļ	SW REFERENCE NO.: 630 COMBO ASSEMBLY					
)	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	019	
)			CHECKED:	DATE:		
2	THIS SERIES FULLY CONFORMS TO			THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-2W	/2-640-3N5	ISSUE
		YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630-2W	/2-640-3N5	1	