




CONFIDENTIAL. THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF COOPER INDUSTRIES, INC. IT IS NOT FOR PUBLIC DISCLOSURE. POSSESSION OF THE INFORMATION DOES NOT CONVEY ANY RIGHT TO LOAN, SELL OR DISCLOSE THE INFORMATION. UNAUTHORIZED REPRODUCTION OR USE OF THE INFORMATION IS PROHIBITED. THIS DOCUMENT IS TO BE RETURNED TO COOPER INDUSTRIES, INC. UPON COMPLETION OF THE PURPOSE FOR WHICH IT IS LOANED OR UPON REQUEST. COPYRIGHT Cooper Industries, Inc. This is an unpublished work. The disclosure of this work is limited to select personnel. Further dissemination or disclosure to the public is PROHIBITED. This unpublished work is protected by Federal Copyright law and all rights thereunder are reserved by Cooper Industries, Inc.	SCALE 2x	UNLESS OTHERWISE SPECIFIED TOLERANCES TO BE: METRIC ±.13mm INCHES ±.005" ANGULAR ±2°	DATE 2-22-06	NO. MDL-(AMP)-R
	INDICATES CRITICAL DIMENSION OR FEATURE 	THIRD ANGLE PROJECTION 	TITLE GLASS TUBE FUSE	
INCHES (OR U.S. UNITS) IS THE PRIMARY UNIT OF MEASURE		METCH (mm) [INCHES]		SUP. NO. MDL-(AMP)-R
DATED 1-9-06		DWG. JG	CK.	REV. B
PAGE 1 OF 3			J06105	
 St. Louis, MO 63178				
C/F NO. 68539	DISTRIBUTION		56	J


(RoHS)

ELECTRICAL REQUIREMENTS:

- CARRY 110% OF RATING FOR 4 HOURS.
- OPEN AT 135% OF RATING WITHIN 1 HOUR.
- 1/100-3 AMP: CARRY 200% OF RATING FOR 5 SECONDS (MIN.).
- 3-2/10-8 AMP: CARRY 200% OF RATING FOR 12 SECONDS (MIN.).
- 9-10 AMP: CARRY 200% OF RATING FOR 5 SECONDS (MIN.).
- OPEN AT 200% OF RATING WITHIN 2 MINUTES (MAX.).

MECHANICAL REQUIREMENTS:

- 1st END ASSEMBLY MUST PASS THROUGH A 6.48/[.255] MAX. DIA. DROP GAUGE.
- COMPLETE ASSEMBLY MUST PASS THROUGH A 6.55/[.258] MAX. DIA. DROP GAUGE.



REG. PACKAGING SPECIFICATION #1P0572

Ⓐ METAL LID (5-IN) #1A3759-1 WITH LABEL #3A0040, PRINTED PER SPECIFICATION #1P1647, ATTACHED.

BULK (100-IN) PACKAGING SPECIFICATION #1P0720

BULK (100-IN) PACKAGING AFTER COLOR CODE SPEC. #1P1702

NOTES:

- 1) COLOR CODE PER PROCEDURE #1P5001 WHEN REQUIRED.
- 2) P-PACK FOR ASSORTMENT. BP FUSES ARE PACKED 5-IN.

REFER TO PAGE 2 FOR PART NUMBERS, FERRULE STAMPING, ETC.

CONFIDENTIAL. THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF COOPER INDUSTRIES, INC. IT IS NOT FOR PUBLIC DISCLOSURE. POSSESSION OF THE INFORMATION DOES NOT CONVEY ANY RIGHT TO LOAN, SELL OR DISCLOSE THE INFORMATION. UNAUTHORIZED REPRODUCTION OR USE OF THE INFORMATION IS PROHIBITED. THIS DOCUMENT IS TO BE RETURNED TO COOPER INDUSTRIES, INC. UPON COMPLETION OF THE PURPOSE FOR WHICH IT IS LOANED OR UPON REQUEST.

COPYRIGHT Cooper Industries, Inc.
This is an unpublished work. The disclosure of this work is limited to select personnel. Further dissemination or disclosure to the public is PROHIBITED. This unpublished work is protected by Federal Copyright law and all rights thereunder are reserved by Cooper Industries, Inc.



St. Louis, MO 63178

DATE	2-22-06	NO.	MDL-(AMP)-R
TITLE	GLASS TUBE FUSE		
SUP. NO.	MDL-(AMP)-R	DATED	1-9-06
DWG.	JG	CK.	
ENG.		CHANGE	B J06105

SCALE	PAGE 2 OF 3	
DISTRIBUTION	56	J
68540		

ⓑ "BUSS" IS IN REVERSE ITALICS (RoHS)

PART NO.	BASE FUSE	FERRULE STAMPING	
		1st END ⓑ	2nd END
MDL-1/100-R	MDL-100UNP-R	BUSS MDL 1/100	250V
MDL-1/32-R	MDL-1/32UNP-R	BUSS MDL 1/32	250V
MDL-1/16-R	MDL-1/16UNP-R	BUSS MDL 1/16	250V
MDL-1/10-R	MDL-1/10UNP-R	BUSS MDL 1/10	250V
MDL-1/8-R	MDL-1/8UNP-R	BUSS MDL 1/8	250V
MDL-15/100-R	MDL-15/100UNP-R	BUSS MDL 15/100	250V
MDL-175/1000-R	MDL-175/100UNP-R	BUSS MDL 175/1000	250V
MDL-3/16-R	MDL-3/16UNP-R	BUSS MDL 3/16	250V
MDL-2/10-R	MDL-2/10UNP-R	BUSS MDL 2/10	250V
MDL-1/4-R	MDL-1/4UNP-R	BUSS MDL 1/4	250V
MDL-3/10-R	MDL-3/10UNP-R	BUSS MDL 3/10	250V
MDL-3/8-R	MDL-3/8UNP-R	BUSS MDL 3/8	250V
MDL-4/10-R	MDL-4/10UNP-R	BUSS MDL 4/10	250V
MDL-1/2-R	MDL-1/2UNP-R	BUSS MDL 1/2	250V
MDL-6/10-R	MDL-6/10UNP-R	BUSS MDL 6/10	250V
MDL-3/4-R	MDL-3/4UNP-R	BUSS MDL 3/4	250V
MDL-8/10-R	MDL-8/10UNP-R	BUSS MDL 8/10	250V
MDL-1-R	MDL-1UNP-R	BUSS MDL 1	250V
MDL-1-1/8-R	MDL-1-1/8UNP-R	BUSS MDL 1 1/8	250V
MDL-1-2/10-R	MDL-1-2/10UNP-R	BUSS MDL 1 2/10	250V
MDL-1-1/4-R	MDL-1-1/4UNP-R	BUSS MDL 1 1/4	250V
MDL-1-1/2-R	MDL-1-1/2UNP-R	BUSS MDL 1 1/2	250V
MDL-1-6/10-R	MDL-1-6/10UNP-R	BUSS MDL 1 6/10	250V
MDL-1-8/10-R	MDL-1-8/10UNP-R	BUSS MDL 1 8/10	250V
MDL-2-R	MDL-2UNP-R	BUSS MDL 2	250V
MDL-2-1/4-R	MDL-2-1/4UNP-R	BUSS MDL 2 1/4	250V
MDL-2-1/2-R	MDL-2-1/2UNP-R	BUSS MDL 2 1/2	250V
MDL-2-8/10-R	MDL-2-8/10UNP-R	BUSS MDL 2 8/10	250V
MDL-3-R	MDL-3UNP-R	BUSS MDL 3	250V
MDL-3-2/10-R	MDL-3-2/10UNP-R	BUSS MDL 3 2/10	250V
MDL-3-1/2-R	MDL-3-1/2UNP-R	BUSS MDL 3 1/2	250V
MDL-4-R	MDL-4UNP-R	BUSS MDL 4	250V
MDL-5-R	MDL-5UNP-R	BUSS MDL 5	250V
MDL-6-R	MDL-6UNP-R	BUSS MDL 6	250V
MDL-6-1/4-R	MDL-6-1/4UNP-R	BUSS MDL 6 1/4	250V
MDL-7-R	MDL-7UNP-R	BUSS MDL 7	250V
MDL-7-1/2-R	MDL-7-1/2UNP-R	BUSS MDL 7 1/2	250V
MDL-8-R	MDL-8UNP-R	BUSS MDL 8	250V
MDL-9-R	MDL-9UNP-R	BUSS MDL 9	32V
MDL-10-R	MDL-10UNP-R	BUSS MDL 10	32V
MDL-12-R	MDL-12UNP-R	BUSS MDL 12	32V
MDL-15-R	MDL-15UNP-R	BUSS MDL 15	32V
MDL-20-R	MDL-20UNP-R	BUSS MDL 20	32V

