

THIS DRAWING AND THE INFORMATION SET FORTH HERE-ON ARE THE PROPERTY OF TYCO ELECTRONICS, AND ARE TO BE HELD IN TRUST AND CONFIDENCE. PUBLICATION, DUPLICATION, DISCLOSURE, OR USE FOR ANY PURPOSE NOT EXPRESSLY AUTHORIZED IN WRITING BY TYCO ELECTRONICS IS PROHIBITED.

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
N/C	INITIAL RELEASE PER ECN 11393	Jan/6/89	J.B.
A	PER ECO-12-012599	Jul/9/2012	M.HIGGY

NOTES:

1. THIS DRAWING IS FOR THE PURPOSE OF PACKAGING THE KIT COMPONENTS IN A SEALED PLASTIC BAG.
2. THE COMPONENTS LISTED HEREON ARE IDENTIFIED WITH THEIR INDIVIDUAL PART NUMBER.
3. REFER TO THE INDIVIDUAL COMPONENT DRAWING FOR CONFIGURATION DETAILS.
4. THE KIT PACKAGE IS IDENTIFIED WITH THE KIT NUMBER.



5. THIS KIT CONSISTS OF:

ITEM	COMPONENT DRAWING NUMBER	DESCRIPTION	QTY
1	MTC100-JH2-P22	2 INCH HOUSING PLUG ASSY., NICKEL PLATED WITH CABLE CLAMP	1
2	MTCP-116-05S1	INSERT, SOCKET PRIMARY 5 NUMBER 16 CAVITIES POWER BLOCK CONNECTOR TEMPERATURE RATING 125°C	1
3	MTCP-116-05S2	INSERT, SOCKET SECONDARY 5 NUMBER 16 CAVITIES POWER BLOCK CONNECTOR TEMPERATURE RATING 125°C	1

If this document is printed it becomes uncontrolled. Check for the latest revision

©2012 Tyco Electronics. All rights reserved.

Raychem MTC  
CUSTOMER DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.	DRAWN	ZS.O.	Jul/3/2012	 TE Connectivity			
	DIMENSIONING AND TOLERANCING PER ASME Y14.5M (ISO STANDARDS)	CHECKED	M.Higgy				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS.  DECIMALS .XXX ± [ — mm ] .XX ± [ — mm ] ANGLES .X — ± —	APPROVED			TITLE KIT, 2 INCH PLUG, NICKEL PLATED WITH CABLE CLAMP PRIMARY AND SECONDARY SOCKET INSERT, POWER BLOCK OPERATING TEMPERATURE 125 CELSIUS DEGREE MTCP SERIES			
	APPROVED						
	CAD NAME	MTCP-KT2-0014			SIZE	CAGE CODE:	DWG. NO.
THIRD ANGLE PROJECTION				A	06090	MTCP-KT2-0014	A
WEIGHT:				SCALE: NONE		SHEET 1 OF 1	