



Technical Datasheet

Heavy Duty Static Dissipative Finger Cots RoHS Compliant FC-B16 Series

Heavy Duty Static Dissipative Finger Cots are made of 14 mil thick sheer latex material. They are used with Class I Category A (<100V) static sensitive electronic devices and are powder free. They can be used in Cleanroom Class 1000 environment. They are packaged as 100/bag.

APPLICATIONS: Computer Operators, Electronic assembly and manufacturing, Pharmaceutical Plants, Cleanroom operation, Fiber Optics, Aerospace and Hospitals.

TYPICAL PHYSICAL PROPERTIES ⁽¹⁾

Color	Black
Emboss Pattern	Textured
Elongation	700%
Inner Diameter (mm)	15 (Small), 18 (Medium), 20 (Large)
Length	1.6" (Small), 1.9" (Medium), 2" (Large)
Material	100 % Natural Rubber Latex
Static Decay	5000 to 0 Volts in less than .01 second
Style	Unrolled
Surface Resistivity	10^6 to 10^8 Ohms/Sq.
Thickness	14 mil (Small), 15 mil (Medium), 16 Mil. (Large)
Type	Powder Free
Tensile Strength	25 Mpa

⁽¹⁾ Specifications are subject to change at any time. If you have any questions, please contact us for the latest update.

Bertech makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its this product for any particular purpose, nor does Bertech assume any liability whatsoever arising out of the application or use of this product. It is ultimately the responsibility of the customer to determine a product's suitability for a particular application.