



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W1-224-5TA		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W1-	-224-5TA	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

628-5W1-224-5TA

21W4 Male/Female

WITHOUT WRITTEN PERMISSION.

		33.30 33.30 4 24 4 24		63.50 31.75 31.75 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	and a state	
		11W1 Male/Female	27W2 Male/Femal	e		
e 47.05 14.48	8W8 Female 53.50 53.73 72.43 72.43 72.43 72.43 72.47	10.65 10.55 10		63.50 31.75 ++++++++ +++++++++++++++++++++++++++	and the second	
		17W2 Male/Female	21W1 Male/Femal	e		
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	φΑ	47.05 23.55 13.85 		47.05 23.05 4 4 4 4 4 4 4 4 4 4 4 4 4	æ	
			SW REFERENCE NO.: 628 C	COMBO ASSEMBLY		
	COMBIN	COMBINATION D-SUB		DATE: JAN. 01/20	019	
				DATE:		
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		A OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-5W1-224-5TA ISSUE			
		YOUR CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS		PART NUMBER: 628-5W1-224-5TA 1		

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female





17W5 Male

COMPLIANT









		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-5W1-224-5TA		ISSUE
			PART NUMBER: 628-5W1	-224-5TA	1



