

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

Product

AC-DC Power Supply

Name and address of the applicant

VOX POWER LTD
Unit 2
Redcow Interchange Estate
Dublin, 22 Ireland

Name and address of the manufacturer

VOX POWER LTD
Unit 2
Redcow Interchange Estate
Dublin, 22 Ireland

Name and address of the factory

EOS POWER INDIA PVT LTD
UNIT 57 SDF-II SEEPZ ANDHERI (E) MUMBAI MH 400096
INDIA

Note: When more than one factory, please report on page 2

Additional Information on page 2
See Page 2

Ratings and principal characteristics

Trademark (if any)

VOX POWER



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

VCCM600S
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 60950-1: 2006 / A11: 2009 / A1: 2010 / A12: 2011 / A2:2013; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1, IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E316486-A9-CB-1 issued on 2017-03-21

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-03-21

Signature:

Jan-Erik Storgaard



Model Details:

VCCM600S May be followed by: -abcd

Where:

- a (Slot 1) = 0, A, B, C, D;
- b (Slot 2) = 0, A, B, C, D;
- c (Slot 3) = 0, A, B, C, D;
- d (Slot 4) = 0, A, B, C, D; and

where 0 = No Module Fitted; and
 where A = OPA; B = OPB; C = OPC and D = OPD

May also be followed by four alphanumeric characters (-zzzz) to indicate non-safety information.

Output Modules:

OPA; OPB; OPC; OPD

Factories:

PANYU TRIO MICROTRONICS CO LTD
 SHIJI INDUSTRIAL ESTATE DONGYONG NANSHA GUANGZHOU GUANGDONG 511453
 CHINA

Ratings:

VCCM600S input rating:

100-240 V ac
 (or 120-370 V dc)
 7 A, 50-60 Hz
 Maximum output power is 600 W.

Individual outputs rated according to modules fitted.

Output modules output ratings (optional):

- OPA = 1.5 - 7.5 V dc, 25 A, 125 W
- OPB = 4.5 - 15 V dc, 15 A, 150 W
- OPC = 9 - 30 V dc, 7.5 A, 150 W
- OPD = 18 - 58 V dc, 3.75 A, 150 W

All output modules current and power ratings are the maximum allowable.

Additional information (if necessary)

Information complémentaire (si nécessaire)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-03-21

Signature:

Jan-Erik Storgaard