

**Mounting Option** 

08-#4-40 Unified Threaded Inserts

## **Contact Detail**

541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.760(19.30) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing





**See Accompanying Pages for:** 

- **Contact Bend Details**
- **Mounting Options**



.240 [6.10] Point of Contact-



YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO	842 ENG MASTER			
DRAWN: J.LEE	DATE: OCT. 06/09			
CHECKED:	DATE:			
SCALE: NTS	SHEET 1 OF 3			
DRAWING NUMBER	ISSUE			

SECTION A-A

842 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp Card Edge Connector Contact Bend Detail		ACAD REFERENCE NO. 842 ENG MASTER			
		DRAWN:	J.LEE	DATE: OCT. 06/09	
		CHECKE	):	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	NTS	SHEET :	2 OF 3
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING	NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	8	42 Assembly		1

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09  CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S ARE THE PROPERTY OF	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	