











6 CIRCUIT CONNECTOR SHOWN


CKT	A	B	C	D	E
2	10.1	5.0	17.3	19.9	17.5
3	15.1	10.0	22.3	24.9	22.5
4	20.1	15.0	27.3	29.9	27.5
5	25.1	20.0	32.3	34.9	32.5
6	30.1	25.0	37.3	39.9	37.5
7	35.1	30.0	42.3	44.9	42.5
8	40.1	35.0	47.3	49.9	47.5



- NOTES:
- MATERIALS
HOUSING: POLYAMIDE 6 (PA6)
UL94-V2. COLOUR NATURAL
TERMINAL: COPPER ALLOY
PLATING: PRE PLATED HOT TIN DIP
 - PRODUCT CONFORMS TO SPECIFICATION PS-99020-0090.
 - MATES WITH RAST 2.5 APPLIMATE FEMALE CONNS.
 - SEE PACKAGING PK-93422-001
 - CONNECTOR DESIGNED FOR USE WITH PANEL 0.80MM TO 0.90MM THICKNESS.
 - TERMINATED HEIGHT. CIRCUIT 1 SHOWN IN TERMINATED POSITION ONLY FOR PURPOSE OF DIMENSIONING TERMINATED HEIGHT POSITION.
 - TERMINAL PRE-TERMINATED HEIGHT. N=NUMBER OF CIRCUITS.
 - SEE APPLICATION SPEC AS-99033-010.
 - CONNECTOR DESIGNED TO RAST 2.5 STANDARD.

SECTION Z-Z

SECTION Y-Y



RECOMMENDED PANEL OPENING

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: DOC TYPE UPDATED		molex	
DIMENSION UNITS	SCALE				
mm	2:1			WIRE TO WIRE HEADER ASSEMBLY PANEL MOUNT 5MM PITCH 0.22-0.38MM2 CABLE	
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 608137		PRODUCT CUSTOMER DRAWING	
ANGULAR TOL	± 0.5°	DRWN: AKABADI	2018/11/23	DOCUMENT NUMBER	
4 PLACES	±	CHK'D: TCLEARY	2018/12/10	DOC TYPE DOC PART REVISION	
3 PLACES	±	APPR: DRYAN	2018/12/11	934230001	
2 PLACES	± 0.05	INITIAL REVISION:		PSD 000 D	
1 PLACE	± 0.1	DRWN: TJMURPHY	2016/03/29	MATERIAL NUMBER	
0 PLACES	±	APPR: BRUTTLE	2016/06/13	CUSTOMER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	SHEET NUMBER
			A3-SIZE	93423	1 OF 2

2 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-0001	93428-0301	NONE	
93423-0009	93428-0302	b c	
93423-0011	93428-0303	b d	

4 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-2001	93428-0701	NONE	

7 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-5001	93428-1301	NONE	


3 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-1001	93428-0501	NONE	
93423-1002	93428-0503	b c d e	

5 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-3001	93429-0901	NONE	

8 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-6001	93428-1501	NONE	


6 Circuit			
MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93423-4001	93428-1101	NONE	

EXAMPLE CIRCUIT SIZE 7 SHOWN BELOW




LATCH 1 POSITION	LATCH 2 POSITION	
ACROSS CABLE CORES	ACROSS CABLE CORES	CIRCUIT SIZE
4 & 5	11 & 12	8
3 & 4	10 & 11	7
3 & 4	8 & 9	6

FOR CIRCUIT SIZE 6 AND ABOVE
2 LATCHES ARE PRESENT.
SEE TABLE BELOW FOR
POSITION OF LATCHES



CODING IDENTIFICATION
(3 CKT EXAMPLE WITH
CODING KEYS D & F BLOCKED)
VIEW IN MATING DIRECTION



NOTES:

- ⊕ DENOTES LOADED TERMINAL POSITION
+ DENOTES VOIDED TERMINAL POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: DOC TYPE UPDATED	
mm	4:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
ANGULAR TOL	± 0.5°	EC NO: 608137	
4 PLACES	±	DRWN: AKABADI	2018/11/23
3 PLACES	±	CHK'D: TCLEARY	2018/12/10
2 PLACES	± 0.05	APPR: DRYAN	2018/12/11
1 PLACE	± 0.1	INITIAL REVISION:	
0 PLACES	±	DRWN: TJMURPHY	2016/03/29
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR: BRUTTLE	2016/06/13
THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
	A1-SIZE	93423	SEE CHARTS
CUSTOMER		SHEET NUMBER	
GENERAL MARKET		2 OF 2	

molex




WIRE TO WIRE HEADER ASSEMBLY
PANEL MOUNT 5MM PITCH 0.22-0.38MM2 CABLE

PRODUCT CUSTOMER DRAWING








DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
934230001	PSD	000	D

EM-93423-010

3 CIRCUIT CONNECTOR SHOWN



CKT	A	B	C	D	E
2	17.3	10.1	5.0	19.9	17.5
3	22.3	15.1	10.0	24.9	22.5
4	27.3	20.1	15.0	29.9	27.5
5	32.3	25.1	20.0	34.9	32.5
6	37.3	30.1	25.0	39.9	37.5
7	42.3	35.1	30.0	44.9	42.5
8	47.3	40.1	35.0	49.9	47.5
9	52.3	45.1	40.0	54.9	52.5
10	57.3	50.1	45.0	59.9	57.5




SECTION Z-Z

SECTION Y-Y

NOTES:

- MATERIALS
HOUSING: POLYAMIDE 66 (PA66)
UL94-V0. COLOUR NATURAL
TERMINAL: COPPER ALLOY
PLATING: PRE PLATED HOT TIN DIP 4 - 7µm
- PRODUCT CONFORMS TO SPECIFICATION PS-99020-0090.
- MATES WITH RAST 2.5 APPLIMATE FEMALE CONNS.
- SEE PACKAGING PK-93422-001.
- CONNECTOR DESIGNED FOR USE WITH PANEL 0.80MM TO 0.90MM THICKNESS.
- TERMINATED HEIGHT. CIRCUIT 1 SHOWN IN TERMINATED POSITION ONLY FOR PURPOSE OF DIMENSIONING TERMINATED HEIGHT POSITION.
- TERMINAL PRE-TERMINATED HEIGHT. N=NUMBER OF CIRCUITS.
- SEE APPLICATION SPEC AS-99033-010.
- CONNECTOR DESIGNED TO RAST 2.5 STANDARD.
- LAST INSPECTION NUMBER: 2



Recommended panel opening

Original Release	EC NO: IPG2015-0156	DRWN:MSHANAHAN 2014/08/25	CHKD:CMONAHAN 2014/10/14	APPR:MSHANAHAN 2014/11/06
REV	A	DESCRIPTION		

QUALITY SYMBOLS

	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.05	± ---
1 PLACE	± 0.10	± ---
0 PLACE	± ---	± ---

ANGULAR ± .5 °
 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
MSHANAHAN	2013/01/22
CHECKED BY	DATE
CMONAHAN	2014/10/14
APPROVED BY	DATE
MSHANAHAN	2014/11/06
MATERIAL NO.	
SEE SHEETS 2+	
SIZE	A3

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
2:1	METRIC	
TITLE		
V0 PANEL MNT HDR ASSY 0.22 TO 0.38 WIRE 5MM PITCH		
molex		
DOCUMENT NO.		SHEET NO.
SD-93723-001		1 OF 3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

2-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0001	93728-0301	NONE	
93723-0009	93728-0302	b,c	
93723-0011	93728-0303	b,d	

4-CIRCUIT


MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0003	93728-0701	NONE	

3-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0002	93728-0501	NONE	
93723-0010	93728-0503	b,c,d,e	

5-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0004	93728-0901	NONE	



CODING IDENTIFICATION
 (3cct EXAMPLE SHOWN WITH KEYS d and f BLOCKED)
 VIEW IN MATING DIRECTION

NOTES:

- + DENOTES TERMINAL VOIDED POSITION
 ⊕ DENOTES TERMINAL LOADED POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	DESCRIPTION REV A	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		▽=0 ◻=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.05 ± --- 1 PLACE ± 0.10 ± --- 0 PLACE ± --- ± ---	DRAWN BY: MSHANAHAN DATE: 2013/01/22 CHECKED BY: CMONAHAN DATE: 2014/10/14 APPROVED BY: MSHANAHAN DATE: 2014/11/06	TITLE	V0 PANEL MNT HDR ASSY 0.22 TO 0.38 WIRE 5MM PITCH	
		ANGULAR ± .5 °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHARTS	DOCUMENT NO.	SD-93723-001 SHEET NO. 2 OF 3	
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

6-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0005	93728-1101	NONE	


8-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0007	93728-1501	NONE	

7-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0006	93728-1301	NONE	

EXAMPLE CIRCUIT SIZE 7 SHOWN BELOW



FOR CIRCUIT SIZE 6 AND ABOVE
 2 LATCHES ARE PRESENT.
 SEE TABLE BELOW FOR
 POSITION OF LATCHES

LATCH 1 POSITION ACROSS CABLE CORES	LATCH 2 POSITION ACROSS CABLE CORES	CIRCUIT SIZE
4 & 5	11 & 12	8
3 & 4	10 & 11	7
3 & 4	8 & 9	6




NOTES:

- + DENOTES TERMINAL VOIDED POSITION
 ⊕ DENOTES TERMINAL LOADED POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM ONLY	2:1	METRIC		
			mm	INCH	DRAWN BY	DATE	TITLE	
		4 PLACES	± ---	± ---	MSHANAHAN	2013/01/22	V0 PANEL MNT HDR ASSY	
3 PLACES	± ---	± ---	CHECKED BY	DATE	0.22 TO 0.38 WIRE			
2 PLACES	± 0.05	± ---	CMONAHAN	2014/10/14	5MM PITCH			
1 PLACE	± 0.10	± ---	APPROVED BY	DATE	molex			
0 PLACE	± ---	± ---	MSHANAHAN	2014/11/06				
ANGULAR ± .5 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
				SEE CHARTS	SD-93723-001	3 OF 3		
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				








EM-93423-010

3 CIRCUIT CONNECTOR SHOWN




CKT	A	B	C	D	E
2	17.3	10.1	5.0	19.9	17.5
3	22.3	15.1	10.0	24.9	22.5
4	27.3	20.1	15.0	29.9	27.5
5	32.3	25.1	20.0	34.9	32.5
6	37.3	30.1	25.0	39.9	37.5
7	42.3	35.1	30.0	44.9	42.5
8	47.3	40.1	35.0	49.9	47.5
9	52.3	45.1	40.0	54.9	52.5
10	57.3	50.1	45.0	59.9	57.5

- NOTES:
- MATERIALS
HOUSING: POLYAMIDE 66 (PA66)
UL94-V0. COLOUR NATURAL
TERMINAL: COPPER ALLOY
PLATING: PRE PLATED HOT TIN DIP 4 - 7µm
 - PRODUCT CONFORMS TO SPECIFICATION PS-99020-0090.
 - MATES WITH RAST 2.5 APPLIMATE FEMALE CONNS.
 - SEE PACKAGING PK-93422-001.
 - CONNECTOR DESIGNED FOR USE WITH PANEL 0.80MM TO 0.90MM THICKNESS.
 - TERMINATED HEIGHT. CIRCUIT 1 SHOWN IN TERMINATED POSITION ONLY FOR PURPOSE OF DIMENSIONING TERMINATED HEIGHT POSITION.
 - TERMINAL PRE-TERMINATED HEIGHT. N=NUMBER OF CIRCUITS.
 - SEE APPLICATION SPEC AS-99033-010.
 - CONNECTOR DESIGNED TO RAST 2.5 STANDARD.
 - LAST INSPECTION NUMBER: 2



SECTION Z-Z

SECTION Y-Y



Recommended panel opening

Original Release EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	QUALITY SYMBOLS FC = 2	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY MSHANAHAN	DATE 2013/01/22	TITLE V0 PANEL MNT HDR ASSY 0.22 TO 0.38 WIRE 5MM PITCH			
		4 PLACES	± ---	± ---	CHECKED BY CMONAHAN	DATE 2014/10/14	molex			
		3 PLACES	± ---	± ---	APPROVED BY MSHANAHAN	DATE 2014/11/06				
2 PLACES	± 0.05	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
1 PLACE	± 0.10	± ---	ANGULAR ± .5 °		SD-93723-001		1 OF 3			
0 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEETS 2+					
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

2-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0001	93728-0301	NONE	
93723-0009	93728-0302	b,c	
93723-0011	93728-0303	b,d	

4-CIRCUIT


MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0003	93728-0701	NONE	

3-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0002	93728-0501	NONE	
93723-0010	93728-0503	b,c,d,e	

5-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0004	93728-0901	NONE	



- NOTES:
- + DENOTES TERMINAL VOIDED POSITION
⊕ DENOTES TERMINAL LOADED POSITION
 - MOLEX HOUSING NUMBER FOR REFERENCE ONLY

CODING IDENTIFICATION
(3cct EXAMPLE SHOWN WITH KEYS d and f BLOCKED)
VIEW IN MATING DIRECTION

EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	DESCRIPTION REV A	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		▼=0 ◻=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.05 ± --- 1 PLACE ± 0.10 ± --- 0 PLACE ± --- ± ---	MM ONLY	2:1	METRIC		
			ANGULAR ± .5 °	DRAWN BY DATE	TITLE	V0 PANEL MNT HDR ASSY 0.22 TO 0.38 WIRE 5MM PITCH molex DOCUMENT NO. SD-93723-001 SHEET NO. 2 OF 3		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY DATE				
		APPROVED BY DATE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

6-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0005	93728-1101	NONE	


8-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0007	93728-1501	NONE	

7-CIRCUIT

MOLEX PART NO.	MOLEX HSG PART NO.	BLOCKED POSITION KEYS	CONFIGURATION (SEE NOTES)
93723-0006	93728-1301	NONE	

EXAMPLE CIRCUIT SIZE 7 SHOWN BELOW



FOR CIRCUIT SIZE 6 AND ABOVE
 2 LATCHES ARE PRESENT.
 SEE TABLE BELOW FOR
 POSITION OF LATCHES

LATCH 1 POSITION ACROSS CABLE CORES	LATCH 2 POSITION ACROSS CABLE CORES	CIRCUIT SIZE
4 & 5	11 & 12	8
3 & 4	10 & 11	7
3 & 4	8 & 9	6

NOTES:

- + DENOTES TERMINAL VOIDED POSITION
 ⊕ DENOTES TERMINAL LOADED POSITION
- MOLEX HOUSING NUMBER FOR REFERENCE ONLY

EC NO: IPG2015-0156 DRWN:MSHANAHAN 2014/08/25 CHKD:CMONAHAN 2014/10/14 APPR:MSHANAHAN 2014/11/06	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▼=0 ◻=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.05 ± --- 1 PLACE ± 0.10 ± --- 0 PLACE ± --- ± ---	MM ONLY	2:1	METRIC	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: MSHANAHAN DATE: 2013/01/22 CHECKED BY: CMONAHAN DATE: 2014/10/14 APPROVED BY: MSHANAHAN DATE: 2014/11/06	TITLE	V0 PANEL MNT HDR ASSY 0.22 TO 0.38 WIRE 5MM PITCH		
	SIZE: A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MATERIAL NO. SEE CHARTS	DOCUMENT NO. SD-93723-001	SHEET NO. 3 OF 3		