


NOTES:

- MATERIALS AND FINISHES
 BARREL - BRASS, NICKEL PLATING
 CONTACT - BRASS, GOLD PLATING
 INSULATOR - PTFE, NATURAL
- ELECTRICAL:
 A. IMPEDANCE: 50 OHM
 B. WORKING VOLTAGE: 250 VRMS
- MECHANICAL:
 A. DURABILITY: 500 CYCLES MIN.
 B. TEMPERATURE RANGE: - 40°C to +125°C/21 DAYS
- FERRULE CRIMPING TOOLS P/N
 227-944(M22520/5.01)
 227-1221-03A(M22520/5.03A) HEX:3.25 L=8.25
- PACKAGING IN BAG WITH COMMERCIAL PART NUMBER AND DATE CODE




THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
C	6.15 WAS 8.9\RD-DM08040801H	01-Aug-08	47179	---
	SEE SHEET 1			



RECOMMENDED
CABLE STRIPPING DIM'S



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
 0.5 - 5mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	DRAWN	DATE	TITLE		Amphenol RF Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com
	KERRY	15-Jan-01	1.0/2.3 CRIMP PLUG		
	ENGINEER	DATE	(FOR L910/22,RG179B/U,		
	ROBIN	15-Jan-01	KX3B,KX22A,RG174/U CABLE)		
REFERENCE	APPROVED	DATE	SCALE: 3/1	SHEET 2 OF 2	ITEM NO. 3C-920-06
	ROBIN	15-Jan-01	DWG SIZE	CODE ID	REV
	FINISH	F:\DWG\ASF\3C\920\065Z	B	74868	C
					PART NO. 102-920-06