	© Copyright 2005. I CS INDUSTRIES® international and Par	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1					Form Type Distribute	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 					ials and M	als and Mfg Information			
Supplie	r Information														
Company name* Company to				ny unique ID			Unique ID Authority					Response Date*			
nsemi											2023-06-08				
Contact N	lame		Title - Contact			1	Phone - Contact*					Email - Contact*			
Product-l	Env-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*					
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Date Version Manufactur		ufacturing Site Weight*		UOM	Unit Type				
		AR1335CSSC11SMK 13MP 1/3 CIS A0-CP		13MP 1/3 CIS SO	2		2023-06-08	023-06-08		CP2		2	49.1919	mg	Each
Ianufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Ma	rminal Plating / Grid Array Material Termina			rminal Base Alloy J-STD-020 MSL		Peak Process Body Temperatu		ure Max Time at Peak Tempera		Temperat	ure Num	ber of Reflow Cyc	cles	
SnAgCu (CU Alloy 4			245 C		30 seco		secon	ds 3					
omments	3														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	8.34	mg	Supplier	Silicon (Si)	7440-21-3		8.34	mg
Glass Attach Epoxy	9.0E-4	mg	Supplier	Imidazole	288-32-4		0.0002	mg
			Supplier	Epoxy Phenol Novolak Resin	28064-14-4		0.0007	mg
Glass Lid /Cap	34.79	mg	Supplier	Glass	65977-17-3		34.79	mg
nsulating Layer	3.53	mg	Supplier	9-Phenylacridine	602-56-2		0.1765	mg
			Supplier	2-Propenoic acid	1245638-61-2		1.059	mg
			Supplier	Other Additive Agents	Proprietary Data		2.118	mg
			Supplier	Butylglycol Acetate	112-07-2		0.1765	mg
Passivation	0.78	mg		Epoxy resin	proprietary data		0.0117	mg
			Supplier	Coupling Agent	Proprietary Data		0.0156	mg
			Supplier	Modified SBR Rubber	Proprietary Data		0.0039	mg
			Supplier	Melamine Compound	Proprietary Data		0.0234	mg
			Supplier	Trispenol Compound	Proprietary Data		0.0234	mg
			Supplier	Photosensitizer	Proprietary Data		0.0624	mg
			Supplier	Hydroxystyrene Resin	Proprietary Data		0.1716	mg
			Supplier	Ethyl Lactate	97-64-3		0.468	mg
RDL	0.54	mg	В	Nickel (Ni)	7440-02-0		0.324	mg
			Supplier	Gold (Au)	7440-57-5		0.0054	mg
			Supplier	Copper (Cu)	7440-50-8		0.2106	mg
older Ball	1.211	mg	Supplier	Silver (Ag)	7440-22-4		0.0804	mg
			Supplier	Tin (Sn)	7440-31-5		1.0768	mg
			Supplier	Copper (Cu)	7440-50-8		0.0538	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).