

6-ft. Null Modem Gold Cable, DB25F to DB25F

MODEL NUMBER: P452-006



Highlights

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Null modem cables connect two serial devices that require a null modem configuration

System Requirements

- Two serial devices with DB25M connectors requiring a null modem (cross-wired) configuration

Package Includes

- 6-ft. Null Modem Gold Cable DB25F to DB25F

Description

Null modem cables and adapters connect two serial devices that require a null modem (cross-wired) configuration. This 6ft cable has a DB25 female connector on each end. Superior molded cables with foil-shielding offer maximum EMI/RFI protection. Gold-plated connectors and contacts provide superior conductivity. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- DB25 female to DB25 female
- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

| OVERVIEW | |
|---------------------------------|----------------------|
| UPC Code | 037332013330 |
| PHYSICAL | |
| Cable Length (ft.) | 6 |
| Cable Length (m) | 1.83 |
| Shipping Dimensions (hwd / in.) | 11.75 x 7.00 x 1.00 |
| Shipping Dimensions (hwd / cm) | 29.84 x 17.78 x 2.54 |
| Shipping Weight (lbs.) | 0.37 |
| Shipping Weight (kg) | 0.17 |

TRIPP-LITE

by **EAT•N**

1000 Eaton Boulevard
Cleveland, OH 44122
United States

| CONNECTIONS | |
|-------------------------------------|---------------------------|
| Side A - Connector 1 | DB25 (FEMALE) |
| Side B - Connector 1 | DB25 (FEMALE) |
| WARRANTY & SUPPORT | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

TRIPP-LITE

by **EAT•N**

© 2023 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.