Mounting Option Contact Detail THIS IS A C.A.D. GENERATED DRAWING Wire Wrap .046x.013(1.17x0.33) - Tail LG=.708(17.98) .468 (11.89) Offset Card Guides DO NOT MAKE MANUAL REVISIONS TO MASTER. ORIGINAL .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing SECTION A-A 0.156 3.96 <u>0.500[12.70]</u> - 6.872 [174.55] --7.018^[178.26]--7.304^[185.52]--8.150[207.01]-.175 [4.45] Point of Contact (FROM BTM OF SLOT) 0.473[12.01] Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board -7.614[193.40] 307 / 357 Card Edge Connector

See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

Part Number: 357-043-445-158



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER
DRAWN: J.LEE	DATE: AUG. 11/09
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE
307 Assembly	1



