



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|---------------------------|-----------|-------|
| P | LTR | DESCRIPTION | DATE | APVD |
| | G2 | REVISED PER ECR-23-171745 | 18APR2023 | DB DH |

- △1 SPLICE FREE, FOR AMP_O_MATOR.
- △2 REELED WITH PAPER LAYER.
- △3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

CHAMFER



| | | | | |
|----|-----------------|----------------|----|-------------|
| △3 | TIN | BRASS | △2 | 6-160316-4 |
| | TIN-LEAD | PHOSPHORBRONZE | | 6-160316-3 |
| △3 | TIN-LEAD | BRASS | | 6-160316-2 |
| △3 | PRE-TIN HOT DIP | PHOSPHORBRONZE | | 6-160316-0 |
| △3 | TIN | BRASS | △1 | 5-160316-9 |
| △3 | NONE | BRASS | △1 | 5-160316-8 |
| | GOLD | PHOSPHORBRONZE | | 5-160316-7 |
| △3 | TIN | PHOSPHORBRONZE | | 5-160316-6 |
| | NONE | PHOSPHORBRONZE | | 5-160316-5 |
| △3 | GOLD | BRASS | | 5-160316-4 |
| | SILVER | BRASS | | 5-160316-3 |
| | TIN | BRASS | | 5-160316-2 |
| | NONE | BRASS | | 5-160316-1 |
| | FINISH | MATERIAL | | PART NUMBER |

| | | | | | |
|--|----------------------------|------------------|--------------------|----------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN D.KESSLER | 11-04-94 | STE TE Connectivity | |
| DIMENSIONS: mm [INCHES] | | CHK P.BEIJNON | APVD L.V. SOEST | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC | | .110 SRS FASTON RECEPTACLE | |
| 0 PLC ± 1.0 | | APPLICATION SPEC | | SIZE | |
| 1 PLC ± 0.5 | | WEIGHT | | CAGE CODE | |
| 2 PLC ± 0.2 | | CUSTOMER DRAWING | | DRAWING NO | |
| 3 PLC ± - | | SCALE 6:1 | | SHEET 1 OF 1 | |
| 4 PLC ± - | | RESTRICTED TO | | REV G2 | |
| ANGLES ± 1° | | | | | |
| FINISH | | | | | |
| WIRE RANGE : | INSUL-RANGE : | | | | |
| 0.3-0.56mm ² (22-20 AWG) | ∅ 1.0-2.0 (∅ .050-.080) | | | | |