



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL


(1)











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-5W1-622-5N1		ISSUE	
		PART NUMBER: 627-5W1-	-622-5N1	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

PART NUMBER:






627-5W1-622-5N1


					₽ [×]
	11W	/1 Male/Female	27W2 Male/Femal	e	
	3W8 Female 31.75 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.44 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45 72.45	^{33.30} ^{16.65} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ^{9.70} ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	2270 1	63.50 31.75 15.24 ++++++++++++++++++++++++++++++++++++	- and a second
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47		47.05	æ
COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY DRAWN: C.B DATE: JAN. 01/2019		019	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-5W1	-622-5N1	ISSUE
2011/03/20 FOR RUNS COWFLIANCT.	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 627-5W/1	-622-5N1	1 1

47.05

23.53

8W8 Male





WITHOUT WRITTEN PERMISSION.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 1





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 627-5W1-622-5N1		ISSUE
			PART NUMBER: 627-5W1	-622-5N1	1