IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				eneous Materia	ials and Mfg Information				
upplier	r Information														
Company name* Company unique I				ique ID	e ID Ur			Unique ID Authority				Response Date*			
nsemi											2023-06-08				
ontact N	ame	Title - Conta	Title - Contact			Phone - Contact*				Email - Contact*					
Product-F	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
uthorize	d Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Com				iro Compliance	Compliance		NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Version	Manufac	Manufacturing Site		ght*	UOM	Unit Type	
		GBU8G BR GBU4L GPI		BR GBU4L GPPN	8A 400V		2023-06-08 TSCBE			399	5.245	mg	Each		
Ianufa	cturing Process Information		Terminal Base	Alloy	-STD-020 MS	I Dating	Pook Proge	sa Podu To	maratura May	Time at Book	Tomporatura	Numba	or of Poflow Cuc	Jac	
	3		CU Allov NA		L Kaung	Peak Process Body Temperature Max Time 0 C 30		Time at Peak	Peak Temperature Number of Reflow Cycles seconds 3						
omments	` ′		CU AHOY		ın_				50		seconds	15			
minents)														
or more i	information regarding materia	l composition	nloggo rofor t	o pago 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to suc										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	astislav Drska	-En								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	15.0	mg	Supplier	Silicon (Si)	7440-21-3		15	mg
Die Attach Solder	15.025	mg	Supplier	Silver (Ag)	7440-22-4		0.3756	mg
			A	Lead (Pb)	7439-92-1	7a	13.8981	mg
			Supplier	Tin (Sn)	7440-31-5		0.7512	mg
Lead Frame	1799.6	mg	Supplier	Iron (Fe)	7439-89-6		2.6994	mg
			Supplier	Copper (Cu)	7440-50-8		1796.0009	mg
			Supplier	Phosphorus (P)	7723-14-0		0.8998	mg
Mold Compound-Black	2160.0	mg		Epoxy resin	proprietary data		108	mg
			Supplier	Phenolic Resin	Proprietary Data		162	mg
			Supplier	Carbon Black (C)	1333-86-4		10.8	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		324	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		1555.2001	mg
Plating	5.62	mg	Supplier	Tin (Sn)	7440-31-5		5.62	mg