



Product / Process Change Notification (PCN)	
<input checked="" type="checkbox"/> Major change <input type="checkbox"/> Minor change	
PCN #: PCN_WL-SWTP_20230713 Affected Series: WL-SWTP; 1583012xx; 1583022xx; 1585634xx PCN Date: April 13, 2023 Effective Date: July 13, 2023	Change Category: <input type="checkbox"/> Equipment / Location <input type="checkbox"/> General Data <input checked="" type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com	Data Sheet Change: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Description and purpose of change: <p>Due to external influences, Würth Elektronik is changing the raw material supplier for die and phosphor. All products with date code 2023-05-01 or later, will be affected by this change. There will be no change in fit, function, quality or reliability of the product.</p>	
Detail of Change: <p>Due to availability of die and phosphor converter materials, the die and phosphor have been changed. The markings, fit, function, quality, reliability and datasheet of the product do not change.</p>	
VISUAL APPREARANCE: <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>BEFORE CHANGE:</p>  </div> <div style="text-align: center;"> <p>AFTER CHANGE:</p>  </div> </div>	
Reliability / Qualification Summary: <p>Product approval is according to the specification and is internally released by the Product Management Department.</p>	



The following items are part of the internal release process:

- Visual appearance (Surface, Contaminations, Damages...)
- Mechanical parameters (as specified in the Datasheet)
- Optical and electrical parameters (as specified in the Datasheet)
- Approval of raw materials
- Reliability: HTOL, Thermal Shock, Resistance to Soldering Heat