

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018780](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Daughter Card Module Installation Press-In Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Function	Insertion
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	884982281318
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018780](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per
-ED/01/2018 (15
January 2018)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

Impact Daughtercard Assembly (3-Pair by 6 Column Assemblies) [76170 Series](#)

Application Tooling | **FAQ**

Description | **Product #**

Impact 100 Ohm [761701006](#)

3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761701036](#)

3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703006

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead Free

Impact 100 Ohm 761703036

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703136

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free

Impact 100 Ohm 761703336

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free

Impact 100 Ohm 761703536

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free

Impact 100 Ohm 761703736

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
PositionG, Lead Free

Impact 100 Ohm 761705006

3 Pair Right-Angle

Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705036
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761705136
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free
Impact 100 Ohm 761705236
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free
Impact 100 Ohm 761705336
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 100 Ohm 761705536
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free
Impact 100 Ohm 761705736
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,

54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position G, Lead
Free

This document was generated on 04/02/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION